

FleetPride[®]
TRUCK & TRAILER PARTS

2019


**NATIONAL
PARTS CATALOG**




READY FOR THE ROAD AHEAD[™]

270+ LOCATIONS IN 46 STATES


TRAILER PARTS



- 1 - Roll-Up Doors
- 2 - Roll-Up Door Panels
- 3 - Roll-Up Door Hardware
- 4 - Roll-Up Door Cables
- 5 - Interior Sidewall
- 6 - Scuff
- 7 - Trailer Wood Flooring & Cross Members



- 1 - Swing Door Seals
- 2 - Swing Doors
- 3 - Swing Door Hinges / Lockrods
- 4 - Mud Flaps
- 5 - Lighting
- 6 - Bumpers




- | | | |
|------------------------|---------------------------|---|
| 1 - Exterior Sidewall | 5 - Roof Coil & Roof Bows | 9 - Corner Panels, Post, Protectors, Liners |
| 2 - Exterior Side Post | 6 - Corner Caps | 10 - Couplers & King Pins |
| 3 - Bottom Rail | 7 - Nose Rail | 11 - Landing Gear Legs & Parts |
| 4 - Top Rail | 8 - Front Post | |

TRAILER DOORS

**Roll Door****Swing Door**

ROLL DOOR REPLACEMENT PARTS & HARDWARE






	PN	TODCO PN	WHITING PN	DESCRIPTION
SINGLE SPRING — 1" ROLLER — TODCO APPLICATION				
 61174P	61174P	61174	4027	1" Steel Door Roller
 5640P	5640P	5640	—	1" Nylon Door Roller
 70305P	70305P	7305	4025	1" Precision Steel Door Roller
 51038P	51038P	51038	4033	Bearing Assembly
 69035P	69035P	69035, 70236	4077	End Hinge
 69431P	69431P	69431, 70233	4038	Side-Adjustable Top Fixture
 69432P	69432P	69432	4051	Base for Side-Adjustable Top Fixture
 69433P	69433P	69433	4039	Complete Adjustable Top Fixture
 61196P	61196P	61196, 70238	4012	Center Hinge
 61352P	61352P	61352	4003	Bottom Fixture
 61204P	61204P	—	—	Cable Anchor Bracket
 61226P	61226P	61026	10-1004-2	Cable Anchor Pin
 61401P	61401P	61401	1715	Lift Handle — Galvanized
 69571P	69571P	69571	—	Lock Assembly
 69572P	69572P	69572	—	Lock Keeper Assembly
 59129P-2	59129P-2	59129-2	—	Roadside Cable Drum — Doors to 105"
 59129P-1	59129P-1	59129-1	—	Curbside Cable Drum — Doors to 105"
 59157P-4	59157P-4	59157-4	—	Roadside Cable Drum — Doors 105" –120"
 59157P-3	59157P-3	59157-3	—	Curbside Cable Drum — Doors 105" –120"
 61390P	61390P	61390 (Each)	4019	110" Side Seal (Pair)
 70131P	70131P	70131 (Each)	—	110" Dual Lip Side Seal (Pair)
 61402P	61402P	61402	—	96" Header Seal (Each)
 61191P	61191P	61191	4034	Bottom Angle

ROLL DOOR PARTS

ROLL DOOR REPLACEMENT PARTS & HARDWARE, cont'



	PN	TODCO PN	WHITING PN	DESCRIPTION
DUAL SPRING — 2" ROLLER — WHITING APPLICATION				
	2996P	70224	2996	2" Steel Door Roller
	3228P	70225	3228	2" Nylon Door Roller
	1207P	—	1207	End Hinge
	1208P	—	1208	End Hinge Cover
	1209P	70224	1209	Complete End Hinge Assembly
	6943P	—	6943	Top Slide Bracket — Heavy Duty
	1264P	—	1264	Top Closure Base w/ Nuts and Bolts
	6944P	—	6944	Complete Top Closure Bracket
	15P	—	15	Center Hinge
	4004P	—	—	Cable Anchor Bracket
	1371P	—	1371	Bottom Bracket Assembly
	1370P	—	1370	Bottom Roller Stud Plate
	1021P	—	1021	Bottom Roller Shaft Cover
	1715P	—	—	Lift Handle — Black
	77P	—	77PTLCR	Lock Assembly — Offset
	4077P	—	4077	Lock Assembly — Flat
	7515P	—	7515	Lock Keeper Assembly
	2547P	—	2547	Roadside Cable Drum and Bearing Assembly
	2548P	—	2548	Curbside Cable Drum and Bearing Assembly
	5423P-110	—	5423-110	Snap in Side Seal — 110"
	3766P	—	3766	Pre-Drilled Side Seal — 113"
	4032P	—	4032	Top Seal Assembly — 98"
	1676P-96	—	1676-96	Bottom Seal — 96"
UNIVERSAL APPLICATION				
	9723P-18	89108-1	9723	2 X 18 Looped Pull Strap w/ Black Retainer
	9723P-24	89108-4	9723-8	2 X 24 Looped Pull Strap w/ Black Retainer
	9723P-32	89108-2	9723-1	2 X 36 Looped Pull Strap w/ Black Retainer
	1086P-6WHT	—	1086-6WHT	2 X 28 Pull Strap w/ White Retainer
	89210P-0032	89210-0032	10-1002-3	Steel Door Rivet 1/4" x 1"
	89210P-0036	89210-0036	10-1002-36	Steel Door Rivet 1/4" x 1-1/8"
	89210P-0040	89210-0040	—	Steel Door Rivet 1/4" x 1-1/4"
	69309P	69309	—	Rivet Tool- Rivet Set Tool for 1/4" Rivet
	61229P	61229	4126	Safety Chain
	61223P	61223	4110	Safety Chain Lock
	69020P	69020	4132	Complete Safety Chain Assembly

ROLLER DOOR CABLES

	PN	LENGTH	EYE SIZE	CABLE CONSTRUCTION
 Photo representative for all	1" DOOR APPLICATION			
	TD-95-7x7-1/4-G	95"	1/4" Metal	7" x 7" Galvanized
	TD-105-7x7-1/4-G	105"	1/4" Metal	7" x 7" Galvanized
	TD-110-7x7-1/4-G	110"	1/4" Metal	7" x 7" Galvanized
	TD-115-7x7-1/4-G	115"	1/4" Metal	7" x 7" Galvanized
	TD-120-7x7-1/4-G	120"	1/4" Metal	7" x 7" Galvanized
	TD-125-7x7-1/4-G	125"	1/4" Metal	7" x 7" Galvanized
	TD-130-7x7-1/4-G	130"	1/4" Metal	7" x 7" Galvanized
	TD-95-7x19-1/4-SS	95"	1/4" Metal	7" x 19" Stainless
	TD-105-7x19-1/4-SS	105"	1/4" Metal	7" x 19" Stainless
	TD-110-7x19-1/4-SS	110"	1/4" Metal	7" x 19" Stainless
	TD-115-7x19-1/4-SS	115"	1/4" Metal	7" x 19" Stainless
	TD-120-7x19-1/4-SS	120"	1/4" Metal	7" x 19" Stainless
	TD-125-7x19-1/4-SS	125"	1/4" Metal	7" x 19" Stainless
	TD-130-7x19-1/4-SS	130"	1/4" Metal	7" x 19" Stainless
 Photo representative for all	2" DOOR APPLICATION			
	WH-95-7x7-5/16-G	95"	5/16" Metal	7" x 7" Galvanized
	WH-105-7x7-5/16-G	105"	5/16" Metal	7" x 7" Galvanized
	WH-110-7x7-5/16-G	110"	5/16" Metal	7" x 7" Galvanized
	WH-115-7x7-5/16-G	115"	5/16" Metal	7" x 7" Galvanized
	WH-120-7x7-5/16-G	120"	5/16" Metal	7" x 7" Galvanized
	WH-125-7x7-5/16-G	125"	5/16" Metal	7" x 7" Galvanized
	WH-130-7x7-5/16-G	130"	5/16" Metal	7" x 7" Galvanized
	WH-95-7x19-5/16-SS	95"	5/16" Metal	7" x 19" Stainless
	WH-105-7x19-5/16-SS	105"	5/16" Metal	7" x 19" Stainless
	WH-110-7x19-5/16-SS	110"	5/16" Metal	7" x 19" Stainless
	WH-115-7x19-5/16-SS	115"	5/16" Metal	7" x 19" Stainless
	WH-120-7x19-5/16-SS	120"	5/16" Metal	7" x 19" Stainless
	WH-125-7x19-5/16-SS	125"	5/16" Metal	7" x 19" Stainless
	WH-130-7x19-5/16-SS	130"	5/16" Metal	7" x 19" Stainless

All cables sold in pairs. 1" style doors have 1/4" cable eyes and 2" style doors have 5/16" cable eyes.

ROLL DOORS & PANELS

ROLL DOORS — UNIVERSAL

PN	DESCRIPTION	WIDTH	HEIGHT	OEM REFERENCE
DROP-IN ROLL DOORS — SINGLE SPRING — 1" ROLLER — TODCO APPLICATION — NO TRACK OR OPERATOR				
TD-90X90-PRIME TD-90X90-PPW	90" x 90" Universal Door	84-3/4" – 88"	83" – 90"	99611-2
TD-90X100-PRIME TD-90X100-PPW	90" x 100" Universal Door	84-3/4" – 88"	90" – 100"	99610-2
TD-98X100-PRIME TD-98X100-PPW	98" x 100" Universal Door	90-3/4" – 96"	90" – 100"	99836-2
TD-98X107-PRIME TD-98X107-PPW	98" x 107" Universal Door	90-3/4" – 96"	100" – 107"	99837-2 or 99890-2
DROP-IN ROLL DOORS — DUAL SPRING — 2" ROLLER — WHITING APPLICATION — NO TRACK OR OPERATOR				
WH-90X90-PRIME WH-90X90-PPW	90" x 90" Universal Door	84-3/4" – 88"	83" – 90"	—
WH-90X100-PRIME WH-90X100-PPW	90" x 100" Universal Door	84-3/4" – 88"	90" – 100"	—
WH-98X100-PRIME WH-98X100-PPW	98" x 100" Universal Door	90-3/4" – 96"	90" – 100"	—
WH-98X107-PRIME WH-98X107-PPW	98" x 107" Universal Door	90-3/4" – 96"	100" – 107"	—

ROLL DOOR PANELS — UNIVERSAL

PN	DESCRIPTION	WIDTH X HEIGHT	OEM REFERENCE
ROLL DOOR REPLACEMENT PANELS — SINGLE SPRING — 1" ROLLER — TODCO APPLICATION			
TD-TP-11x98-PRIME TD-TP-11x98-PPW	Top Panel w/ Top Seal	11" x 98"	29013-11X98
TD-TP-12x98-PRIME TD-TP-12x98-PPW	Top Panel w/ Top Seal	12" x 98"	29013-12X98
TD-TP-15x98-PRIME TD-TP-15x98-PPW	Top Panel w/ Top Seal	15" x 98"	29013-15X98
TD-IP-11x98-PRIME TD-IP-11x98-PPW	Intermediate Panel	11" x 98"	29014-11X98
TD-IP-11.5x98-PRIME TD-IP-11.5x98-PPW	Intermediate Panel	11.5" x 98"	29014-11.5X98
TD-IP-12x98-PRIME TD-IP-12x98-PPW	Intermediate Panel	12" x 98"	29014-12X98
TD-IP-13x98-PRIME TD-IP-13x98-PPW	Intermediate Panel	13" x 98"	29014-13X98
TD-IP-15x98-PRIME TD-IP-15x98-PPW	Intermediate Panel	15" x 98"	29014-15X98
TD-BP-11x98-PRIME TD-BP-11x98-PPW	Bottom Panel w/ Seal Only	11" x 98"	29016-11X98
TD-BP-12x98-PRIME TD-BP-12x98-PPW	Bottom Panel w/ Seal Only	12" x 98"	29016-12X98
TD-BP-13x98-PRIME TD-BP-13x98-PPW	Bottom Panel w/ Seal Only	13" x 98"	29016-13X98
TD-BP-15x98-PRIME TD-BP-15x98-PPW	Bottom Panel w/ Seal Only	15" x 98"	29016-15X98
TD-BP-18x98-PRIME TD-BP-18x98-PPW	Bottom Panel w/ Seal Only	18" x 98"	29016-18X98

PRIME = Primed White PPW = Prepainted White

— continued on next page

ROLL DOOR PANELS — UNIVERSAL, continued

PN	DESCRIPTION	WIDTH X HEIGHT	OEM REFERENCE
ROLL DOOR REPLACEMENT PANELS — SINGLE SPRING — 1" ROLLER — TODCO APPLICATION, cont'			
TD-BP-11x98-PRIME-HW TD-BP-11x98-PPW-HW	Bottom Panel w/ Seal & Hardware — No Lock	11" x 98"	29016-1-11X98
TD-BP-12x98-PRIME-HW TD-BP-12x98-PPW-HW	Bottom Panel w/ Seal & Hardware — No Lock	12" x 98"	29016-1-12X98
TD-BP-13x98-PRIME-HW TD-BP-13x98-PPW-HW	Bottom Panel w/ Seal & Hardware — No Lock	13" x 98"	29016-1-13X98
TD-BP-15x98-PRIME-HW TD-BP-15x98-PPW-HW	Bottom Panel w/ Seal & Hardware — No Lock	15" x 98"	29016-1-15X98
TD-BP-18x98-PRIME-HW TD-BP-18x98-PPW-HW	Bottom Panel w/ Seal Only	18" x 98"	29016-1-18X98
ROLL DOOR REPLACEMENT PANELS — DUAL SPRING — 2" ROLLER — WHITING APPLICATION			
WH-TP-11x98-PRIME WH-TP-11x98-PPW	Top Panel	11" x 98"	340-11X98
WH-TP-12x98-PRIME WH-TP-12x98-PPW	Top Panel	12" x 98"	340-12X98
WH-TP-15x98-PRIME WH-TP-15x98-PPW	Top Panel	15" x 98"	340-15X98
WH-IP-11x98-PRIME WH-IP-11x98-PPW	Intermediate Panel	11" x 98"	342-11X98
WH-IP-11.5x98-PRIME WH-IP-11.5x98-PPW	Intermediate Panel	11.5" x 98"	342-11.5X98
WH-IP-12x98-PRIME WH-IP-12x98-PPW	Intermediate Panel	12" x 98"	342-12X98
WH-IP-15x98-PRIME WH-IP-15x98-PPW	Intermediate Panel	15" x 98"	342-15X98
WH-BP-11x98-PRIME WH-BP-11x98-PPW	Bottom Panel w/ Seal & Aluminum Channel	11" x 98"	345-2-11x98 or 345-3-11x98
WH-BP-15x98-PRIME WH-BP-15x98-PPW	Bottom Panel w/ Seal & Aluminum Channel	15" x 98"	345-2-11x98 or 345-3-15x98
WH-BP-11x98-PPW-HW	Bottom Panel w/ Seal & Aluminum Channel & Hardware — No Lock	11" x 98"	—
WH-BP-15x98-PPW-HW	Bottom Panel w/ Seal & Aluminum Channel & Hardware — No Lock	15" x 98"	—

ROLL DOOR REPLACEMENT OPERATOR ASSEMBLIES & TRACK KITS — UNIVERSAL

PN	TODCO PN	WHITING PN	DESCRIPTION	APPLICATION
TD-59292-243x57x96	59292.243X57X96 or 59174.243X57X96	—	243 x 57" x 96" Single Spring Operator Assembly	Todco
TD-59174-225x40x96	59174.243X57X96	—	225 x 40" x 96" Single Spring Operator Assembly	Todco
WH-2376-RF-187x31x96	—	2376.187X31X93 or 2376.187X31X96	187 x 31" x 96" Dual Spring Operator w/ Winder	Whiting
WH-2376-RF-182x29x90	—	2376.182X29X87 or 2376.182X29X90	182 x 29" x 90" Dual Spring Operator w/ Winder	Whiting
TD-TRACK-KIT	—	—	1" Single Spring Universal Track & Operator Kit	Todco
WH-TRACK-KIT	—	—	2" Dual Spring Universal Track & Operator Kit w/ Winder	Whiting

ROLL DOORS

COUNTERBALANCERS — TODCO®



	TODCO PN	SPRING ID	DOOR HEIGHT	TRAILER WIDTH
	59174	1-3/4"	Up to 105"	96"
	59230	1-3/4"	105" to 120"	96"
	59195**	2-1/2"	Up to 105"	96"
	59195-1**	2-1/2"	105" to 120"	96"
	59209*	1-3/4"	Up to 105"	96" to 102"
	59220	1-3/4"	105" to 120"	96" to 102"
	59292	1-3/4"	Up to 105"	102"
	59293	1-3/4"	105" to 120"	102"

* Shallow header door ** With filler plugs

SPRING WINDING BAR — TODCO®



	TODCO PN	DESCRIPTION
	59310	Spring Winding Bar 1/2" x 18"

SPRINGS FOR BALANCER — 2-3/16" DIAMETER — WHITING®




WHITING PN	DOOR SIZE LIMITS	SHAFT MINIMUM LENGTH	WIRE SIZE	SPRING LENGTH	COLOR CODE
2376	60" – 72" W to 90" H	61"	.156"	19-1/2"	Dark Gray
2376	72" – 81" W to 96" H	70"	.171"	.24"	Light Yellow
2376	81" – 86" W to 102" H	76"	.177"	27"	Light Blue
2376	85" – 91" W to 108" H	80"	.182"	29"	Light Green
2376	87" – 91" W to 114" H	87"	.187"	32-1/2"	White
2376	91" – 98" W to 102" H	84"	.187"	31"	White
2376	91" – 98" W to 120" H	90"	.192"	34"	Red

NOTE: Be sure to specify spring length.

3/4" DRY FREIGHT DOOR — ALUMINUM OR PLastic COATED



NOTE: For identification purposes, Todco door hinges are recessed.



ROLL DOORS

ROLL DOORS — TODCO




ITEM	PN	DESCRIPTION
1	49014-2	Vertical Track (CS) (specify length)
2	49014-1	Vertical Track (RS) (specify length)
3	80352-518	Hex Nut 5/16" NC
4	80322-319	Lockwasher 5/16"
5	51037	Counter Balance Shaft
6	51038	Bearing Assembly
7	80300-2414	Hex Head Set Screw 3/4" NC x 7/8"
8	59129-2	Cable Drum (RS) Doors to 105"
9	59157-4	Cable Drum (RS) Doors from 105" To 120"
10	89186-3	Hex Bolt 5/16" x 7/8"
12	51036-2	Spring Anchor Bracket
13	51043	Spring Anchor Plug 1-3/4" ID Spring
14	59024	Spring Anchor Plug 2-1/4" ID Spring
15	51042	Spring 1-3/4" ID
16	59031	Spring 2-3/4" ID
17	49702-2	Horizontal Track (CS) (specify length)
18	49702-1	Horizontal Track (RS) (specify length)
19	59158	Spring Winding Plug 1-3/4" ID Spring
20	58159	Spring Winding Plug 2-1/2" ID Spring
21	80352-420	Hex Nut 1/4" NC
22	80322-255	Lockwasher 1/4"
23	89105-416	Hex Head Bolt 1/4" NC x 2"
24	59129-1	Cable Drum (CS) Doors to 105"
25	59157-3	Cable Drum (CS) Doors from 105" to 120"
26	89100-1	Driver Rivet 3/4" Diameter
27	61390	Side Seal (Pair)
28	51044	Door Cables, Doors to 100" Height
29	59004	Door Cables, Doors from 100" to 105" Height
30	59003	Door Cables, Doors from 105" to 120" Height
31	29013T	Top Panel (specify length and width)
32	29017T	Top Panel Aluminum Covered (specify length and width)
33	29014T	Intermediate Panel (specify length and width)
34	29018T	Intermediate Panel Aluminum Covered (specify length and width)

ITEM	PN	DESCRIPTION
35	29016T*	Bottom Panel (specify length and width)
36	29020T*	Bottom Panel Aluminum Covered (specify length and width)
37	89210-0032	Rivet 1"
38	61401	Lift Handle
39	80302-1720	Flat Washer 1/4" Diameter
40	80844	Pull Strap
41	69832	Pull Strap Retainer
42	89004-1	Splined Carriage Bolt 1/4" x 1-1/2"
43	70093	Catch Box
44	69572	Keeper Assembly
45	69571	Maximum Security Lock Assembly
46	89210-0036	Rivet 1-1/8"
47	61204	Cable Anchor Bracket
48	69793	Name Plate
49	80840	Bottom Sea
50	80401-316	Cotter Pin 3/4" Diameter
51	61026	Cable Anchor Pin
52	61191	Bottom Angle
53	61352	Bottom Fixture
54	69035	End Hinge
55	80020	Spacer Washer-Roller
56	61174	Roller 1"
57	80015-1610	Step Bolt 1/4" x 1-1/4"
58	61196	Center Hinge
59	69431	Slide — Adjustable Top Fixture
60	89100-2	Drive Rivet
61	61403	Retainer — Head Seal
62	61402	Head Seal
70	69314	Top Channel
71	59092	Filter Plug 2-1/2"
72	69432	Base — Adjustable Top Fixture
73	80302-2436	Flat Washer 3/8" Diameter
74	89049	E-Lok Bolt — 3/8" NC

3/4" DRY FREIGHT DOOR — ALUMINUM OR PLastic COATED



NOTE: For identification purposes, Whiting door hinges are recessed.



ROLL DOORS

ROLL DOORS — WHITING



ITEM	PN	DESCRIPTION	ITEM	PN	DESCRIPTION
1	340	Top Panel (plain) Plastic-Tongue and Groove Joint (specify length and width)	27	1209ASM	Roller Hinge Complete w/ Cover and Nut
1	341	Top Panel Plastic-Tongue and Groove (w/ top Seal and Closure Brackets (specify length and width)	28	1208	Roller Hinge Cover Clamp
2	342	Intermediate Panel (plain) Plastic-Tongue and Groove Joint (specify length and width)	29	1207	Roller Hinge
3	343	Bottom Panel (plain) Plastic-Tongue and Groove (specify length and width)	30	15	Center Hinge
3	345-2	Bottom Panel w/ Steel U-Channel (specify length and width)	31	10-1002-11	Rivet 1/4" x 1-1/8" — 1/2 HD
3	345-3	Bottom Door Panel w/ Bottom Seal only (specify length and width)	32	6	Spacer Washer
3	346-2	Bottom Door Panel complete less #77 Lock (specify length and width)	33	3228	2" Nylon Roller
3	348	Bottom Door Panel complete w/ 77 Lock (specify length and width)	33	2996	2" Steel Roller
4	11-2	2" Horizontal Track (CS) (8" Radius) (specify length)	34	6943	Top Closure Slide
5	11-3	2" Horizontal Track (RS) (8" Radius) (specify length)	35	1264	Top Closure Base w/ Nuts and Bolts
6	1031	Vertical Track (straight) (specify length)	36	6944	Top Closure Assembly Complete
7	2275-1	Vertical Track and Mounting Angles (CS) (specify length and size of each)	37	4032	Top Seal
7	2275-2	Vertical Track and Mounting Angles (RS) (specify length and size of each)	38	2376	Balancer (specify shaft length and spring size)
8	XX	Mounting Angle (specify length and size)*	39	2524	Balancer Bracket (RS)
9	5423	Side Seal (specify length)	40	2523	Balancer Bracket (CS)
10	18-3	Bottom U Channel Retainer (steel)	41	2525	Balancer Bracket (center)
11	1801	Bottom U Channel Retainer (Aluminum) (specify length, balancer and lock type)	42	2526	Balancer Bracket clamp
11	8280-2	Bottom U Channel Retainer (Aluminum) (specify length, balancer and lock type)	43	10-1063-1	Self Locking Nut 5/16" — 18
12	1676	Bottom Seal (use with 1801 channel) (specify length)	44	2528	Balancer Shaft (specify length)
12	5735	Bottom Seal (use with 8280-2) (specify length)	45	2547	Cable Drum and Bearing Assembly (RS)
13	9723	Pull Down Strap (specify door height)	46	2548	Cable Drum and Bearing Assembly (CS)
15	1715	Grab Handle	47	2518COM	Winding Cone
16	3034	Decal	48	2471	Spring Spacer
17	77	Lock Assembly — No Keeper	49	2704	RS Torsion Spring (LH wound) (specify wire size and length)
19	10-1002-9	Rivet 1/4" x 15/16" — 1/2 HD	50	2705	CS Torsion Spring (RH wound) (specify wire size and length)
19	10-1002-49	Rivet 1/4" x 9/32" — 1/2" HD Stainless Steel	51	2522	Thrust Washer
20	2804	Latch Plate	52	10-1009-8	Cotter Pin 3/16" x 1-1/2"
21	7515	Handle Keeper	53	10-1033-2	Self Locking Nut 5/16" — 18
22	70-13	Cable Anchor 1-1/4" U-Bolt	54	83	2" Track Stop Bumper
23	1021	Bottom Roller Shaft Cover	55	10-1010-3	Bolt 1/4" — 20 x 2-1/2"
24	1370	Bottom Roller Bracket Stud Plate	56	*	1/8" Stainless Steel Door Cable w/ 5/16" Eye (specify door height)
25	10-1022-1	Kep Nut 1/4" — 20	57	2699	Set Screw 3/8" — 16 x 5/8"
26	10-1002-3	Rivet 1/4" x 1-3/4" HD Cadmium Plated Steel	58	10-1006-1	Washer 1/4" x 3/4"
			59	2370	Bolt 5/16" x 5/8"
			60	5726	Wear Plate For Doors w/ Bottom Seal
			61	1371	Complete Bottom Bracket w/ Cover


* Part Numbers vary by height.

SWING DOOR HINGES

	PN	REPLACES	CROSS	DESCRIPTION
APPLICATION FOR HYUNDAI				
 HS21-01	HS21-01	20003977	023-01657	3-Hole Aluminum Hinge w/ Insert
APPLICATION FOR STOUGHTON®				
 HS45-01	HS45-01	04-08316-000-00	022-01008	4-Hole Aluminum Hinge
 HS45-02	HS45-02	04-86386-001-00	022-01081	3-Hole Aluminum Hinge
 HS45-03	HS45-03	P108530 & P108540	022-01086	5-Hole Aluminum Hinge
APPLICATION FOR STRICK				
 HS50-02	HS50-02	AA33C-0106-01-00	022-00490	3-Hole Steel Hinge w/ Reinforce Rib
 HS50-05	HS50-05	AA35F-0023-01-00	022-01013	4-Hole Aluminum Hinge
APPLICATION FOR KENTUCKY®				
 HS23-01	HS23-01	2906 & A1-5984-50	022-00614	3-Hole Steel Hinge
 HS23-02	HS23-02	6616600000	022-01040	2-Hole Belly Box Hinge Assembly
 HS23-03	HS23-03	6616396000	022-01035	Side Door Hinge Assembly
APPLICATION FOR DORSEY®				
 HS15-01	HS15-01	2810919	022-00889	3-Hole Aluminum
 HS15-02	HS15-02	2810093	022-00888	4-Hole Aluminum
 HS15-03	HS15-03	4101481	022-00392	3-Hole Stamped Steel Hinge
APPLICATION FOR UTILITY®				
 HS60-01	HS60-01	1-4950-004	023-00943	3-Hole Steel Hinge
 HS60-03	HS60-03	3-4100-019	022-01056	3-Hole Aluminum Hinge
 HS60-04	HS60-04	3-4100-022	022-01184	3-Hole Aluminum Hinge

SWING DOOR HINGES

SWING DOOR HINGES, continued

	PN	REPLACES	CROSS	DESCRIPTION
APPLICATION FOR WABASH®				
 HS70-01	HS70-01	WAB06300291	022-00975	4-Hole Aluminum Hinge
 HS70-02	HS70-02	WAB06301272	022-01047	4-Hole Aluminum Hinge (Reefer)
 HS70-03	HS70-03	WN06301527	022-01182	4-Hole Aluminum Hinge w/ Insert
APPLICATION FOR TRAILMOBILE®				
 HS51-01	HS51-01	515-10-61A	023-00008	3-Hole Steel Hinge
 HS51-02	HS51-02	515-10-65	022-00966	3-Hole Aluminum Hinge
 HS51-03	HS51-03	515-10-73A	023-00940	3-Hole Steel Hinge Square End
 HS51-04	HS51-04	515-10-781	022-01036	4-Hole Aluminum Hinge
APPLICATION FOR FRUEHAUF				
 HS16-01	HS16-01	DCF-8681-1	023-00557	4-Hole Steel Hinge (Straight Offset)
 HS16-02	HS16-02	DXA-0687	022-00013	2-Hole Steel Hinge
 HS16-03	HS16-03	DCF-3980-1	023-00567	4-Hole Steel Hinge (Radius Offset)
 HS16-04	HS16-04	DCA-02-42	022-00007	3-Hole Stamped Steel Hinge
 HS16-06	HS16-06	BCF-0046-7800-1 & DBA-0015-8300	022-01004	3- or 5-Hole Aluminum Hinge
APPLICATION FOR GREAT DANE				
 HS18-01	HS18-01	08206	023-00562	3-Hole Aluminum (Reefer)
 HS18-02	HS18-02	08138	023-00563	3-Hole Aluminum Dry Freight Hinge
 HS18-03	HS18-03	42500813	023-01656	3-Hole Aluminum Hinge
 HS18-04	HS18-04	15152	022-01007	3-Hole Aluminum Hinge
 HS18-05	HS18-05	31800904	027-14488	4-Hole Aluminum Hinge
 HS18-06	HS18-06	31801018	022-00407	3-Hole Aluminum Hinge w/Insert
 HS18-07	HS18-07	47563	022-01058	3-Hole Aluminum Hinge

SWING DOOR HINGE PINS



	PN	REPLACES	CROSS	DESCRIPTION
APPLICATION FOR DORSEY®				
 HP15-31	HP15-31	5248614	997-98022	Dorsey Style (Zinc Finish)
APPLICATION FOR FRUEHAUF				
 HP16-31	HP16-31	WCE007812-001, P1054123	997-98017	Fruehauf and Miner Style (Zinc Finish)
 HP16-32	HP16-32	P1054097	997-98020	Fruehauf and Miner Style (Stainless Steel)
APPLICATION FOR GREAT DANE				
 HP18-31	HP18-31	44573	997-98015	Great Dane Style (Round Head) (Zinc Finish)
 HP18-32	HP18-32	3190100	997-98027	Great Dane Style (Zinc Finish)
APPLICATION FOR TRAILMOBILE®				
 HP51-31	HP51-31	515-12-13	997-98016	Trailmobile Style (Zinc Finish)
APPLICATION FOR UTILITY				
 HP60-31	HP60-31	3-6101-071	997-98019	Utility Style (Zinc Finish)
UNIVERSAL APPLICATION				
 HP-KIT	HP-KIT	—	—	Hinge Bolt Pin Hardware Kit

SWING DOOR HINGE BUTTS

SWING DOOR HINGE BUTTS

	PN	REPLACES	CROSS	HOLE DIA.	HEIGHT	INSIDE WIDTH	DESCRIPTION
APPLICATION FOR DORSEY®							
 HB15-21	HB15-21	4101483	023-00662	0.51"	1.75"	2.88"	Notched
APPLICATION FOR FRUEHAUF							
 HB16-21	HB16-21	WCF-3981-1	—	0.53"	1.18"	4.06"	Notched
	HB16-22	WXA-0562-1	023-00675	0.51"	1.13"	2.25"	Straight
 HB16-23	HB16-23	WCF-9567-001	023-00674	0.51"	1.88"	4.25"	Notched
APPLICATION FOR MINER							
 HB37-21	HB37-21	H-1156-6	023-00664	0.51"	1.38"	4.25"	Notched
APPLICATION FOR STRICK							
	HB50-22	AA33B-1719-01	023-00642	0.51"	1.50"	3.25"	Straight
APPLICATION FOR TRAILMOBILE®							
 HB51-21	HB51-21	515-11-29	023-00678	0.63"	1.63"	3.00"	Notched
APPLICATION FOR WABASH®							
 HB70-21	HB70-21	WAB06300297	023-00669	0.51"	1.38"	3.00"	Notched

SWING DOOR HOLDBACKS

	PN	TRAILMOBILE PN	DESCRIPTION		
 021-00051	CHAIN & HOLDBACK ASSEMBLIES & COMPONENTS				
	021-00051	—	Complete Set Snap, Chain, Lap Link and Anchor		
	021-00050	700-515-33	Snap, Chain and Lap Link Assembly		
	021-00043	700-532-7	Handle Type Anchor		
	021-00053	—	Lap Link Only		
 022-01022	T-SLOT HOLDBACK KITS & COMPONENTS				
	022-01022	700-532-4	T-Slot Kit 4" (Zinc)		
	022-01024	700-732-5	T-Slot Kit 6" (Zinc)		
	022-01023	700-532-4	T-Slot Kit 4" (Stainless)		
	022-00522	—	T-Slot Base (Stainless)		
	022-00990	—	T-Holder Only 4"		
	022-00991	—	T-Holder Only 6"		
 22-00081	PN	FRUEHAUF PN	TRAILMOBILE PN	EBERHARD PN	DESCRIPTION
	SWING DOOR HOLDBACKS & HANDLES				
	022-00081	586930	515-9-78B	—	Fruehauf Style Two-Hole Holdback
	022-00487	—	—	—	Fruehauf Style Holdback
	022-00577	—	—	6603-50	Pig-Tail Holdback
 22-00487	HOLDBACKS SETS & COMPONENTS				
	021-00371	—	—	—	Set w/ 2" Loop
	021-00372	—	—	—	Set w/ 3" Loop
	021-00373	—	—	—	Set w/ 4" Loop
	021-00374	—	—	—	Set w/ 6" Loop
	022-01076	—	—	—	Loop Only 2"
	022-01079	—	—	—	Loop Only 3"
	022-01077	—	—	6601-3	Loop Only 4"
	022-00628	—	—	9611	Handle 4.25"
	022-00081	—	—	—	Hook Only
	LOOP 3-1/2"				
01-12558-000-00	Stoughton Loop 3-1/2"				
 04-85274-000-00	HOLDBACK HOOK				
	04-85274-000-00	Stoughton Holdback Hook			
 04-85381-000-00	S-HOOK				
	04-85381-000-00	Stoughton S-Hook			

LOCKRODS

FOR MINER 1" LOCKROD PARTS KITS & COMPONENTS

	ITEM	PN	DESCRIPTION	DL-DL KIT P50015	DL-NH (LH) KIT P50025	DL-NH (RH) KIT P50035
	1	P10645	Keeper Weld-On (DI)	2	1	1
	NP	P41565	Keeper Weld-On (SH) RH Top / LH Bottom			
	NP	P42235	Keeper Weld-On (HV)			
	NP	P41405	Keeper Weld-On (NH)		1	1
	NP	P41555	Keeper Weld-On (SH) LH Top / RH Bottom			
	2	P40445	Cam End (DI) RH Top / LH Bottom	1	1	
	NP	P24975	Cam End (HV) RH Top / LH Bottom			
	NP	P24985	Cam End (HV) LH Top / RH Bottom			
	NP	P41415	Cam End (NH) LH Top / RH Bottom		1	
	NP	P41425	Cam End (NH) RH Top / LH Bottom			1
	NP	P41535	Cam End (SH) LH Top / RH Bottom			
	NP	P41545	Cam End (SH) RH Top / LH Bottom			
	3	P40421	Half Bushing for P42075 Guide Plate	4	4	4
	4	P42075	Guide Plate	2	2	2
	5	P40055	Rod Guide	1	1	1
	6	P40061	Half Bushing for P40055 Rod Guide	2	2	2
	7	P40125	Seal Pin for Handle	1	1	1
	8	P41465	Handle Assembly	1	1	1
	8a	P40905	Handle Only			
	9	P40115	Seal Plate for Handle	1	1	1
	10	P40435	Cam End (DI) LH Top / RH Bottom	1		1
	11	P50005A	Lockrod Tubing (Galvanized) 1" x 120"			
	12	P42085	Handle Mount	Sold Separately		

Each lockrod kit includes all components to build and mount one lockrod.

DL-NH – Dual Lobe for large cube vans NP – Not Pictured on previous page

INTERMODAL/CONTAINER 1" LOCKROD PARTS KITS & COMPONENTS — QF-QF*

	ITEM	PN	DESCRIPTION	P51005
	1	P42375	Keeper	2
	2	P42025	Quad Finger Cam (LH)	1
	3	P360091	Guide Plate Bearing	2
	4	P360085	Guide Plate	2
	5	P360111	Rod Guide Bearing	2
	6	P360105	Rod Guide	2
	**NP	P330505	Seal Pin (LH)	1
	7	P330555	Seal Pin (RH)	—
	8	P330833	Collar	1
	9	P44095	Lever Assembly	1
	10	P330415	Seal Plate	1
	**NP	P41195	Anti-Rack Ring	4
	11	P42015	Quad Finger Cam (RH)	1
	12	P50005A	Lockrod Tubing (Galvanized) 1" x 120"	Sold Separately

* QF-QF — Quad Finger System for Marine/Cargo Containers/Intermodal

Each lockrod kit includes all components to build and mount one lockrod (tubing sold separately).



** NP — Not Pictured

SWING DOORS


SWING DOORS — BLANKS

PN	REPLACES	INTERIOR PANEL	OUTER PANEL	DIAMETER	LENGTH	DESCRIPTION
DB3/4X49X110PPWA/MFA	ML5010	White Aluminum	Mill Finish	3/4"	110-1/2"	Door Blanks
DB3/4X49X121PPWA/MFA	ML5020	White Aluminum	Mill Finish	3/4"	121"	Door Blanks
DB3/4X49X144PPWA/MFA	ML5060	White Aluminum	Mill Finish	3/4"	144"	Door Blanks
DB3/4X49X110PPWA/G	ML5011	White Aluminum	Galvanized Steel	3/4"	110-1/2"	Door Blanks
DB3/4X49X121PPWA/G	ML5021	White Aluminum	Galvanized Steel	3/4"	121"	Door Blanks
DB1/2X49X121PPWA/MFA	ML5005	White Aluminum	Mill Finish	1/2"	121"	Door Blanks
DB1-1/4X49X110PPWG/G	ML5055	White Steel	Heavy Duty	1-1/4"	110-1/2"	Door Blanks
DB11X49X110PPWG-G	ML5035	White Steel	Galvanized Steel	1"	110-1/2"	Door Blanks
DB3/4X49X110-05B	—	White Aluminum	Mill Finish	3/4"	40-1/2"	Oriental Strand Board

SWING DOORS — CORNER REPAIR / TABS

	PN	WHITING PN	DESCRIPTION
	CORNER REPAIR		
	CRTSKIT-16	—	3/4" x 16" x 16"
	NC-CORNER-REPLAC	—	3/4" x 18" x 18"
	CORNER TABS		
	CT-1	ML1823	3-1/16"
	CT-3	ML1824	Wide Corner Tab
	CORNER TAB GLUE		
	ML2001	—	Sea-LOK® Corner Tab Glue

SWING DOOR SEALS

	PN	WHITING PN	TRAILMOBILE PN	SIZE	DESCRIPTION
	SUPER SEAL				
	CL12X168LDSS	ML1803 58R-8-14	—	1/2" x 168"	Super Seal Light Duty
	CL12X168SS	ML1803 58R-8-14	—	1/2" x 168"	Super Seal
	CL34X168LDSS	ML1854 58R-12-14	—	3/4" x 168"	Super Seal Light Duty
	CL34X168SS	ML1854 58R-12-14	—	3/4" x 168"	Super Seal
	CL112X168CONV	ML2904 58R-24-14	—	1-1/2" x 168"	Conventional
	CL114X168SS	ML3025 58R-20-14	—	1-1/4" x 168"	Super Seal
	CL1X168SS	ML1830 58R-16-14	—	1" x 168"	Super Seal
	TRUE-SEALOR®				
	TS34X168-ASSY	—	700-90-87	3/4" x 168"	Seal w/ Aluminum Retainer
	TS34X168-SEAL*	—	700-90-44	3/4" x 168"	Grey Vinyl Seal
	TS34X168-RETAINER	—	700-90-43	3/4" x 168"	Aluminum Retainer

* Use w/ retainer TS34X168-RETAINER

FLOORING & COMPONENTS

	PN	DESCRIPTION
 AF118X7	APITONG TRAILER & CONTAINER FLOORING	
	AF118X5	1-1/8" x 5" (Sold by Foot)
	AF118X5-12	1-1/8" x 5" x 12'
	AF118X5-16	1-1/8" x 5" x 16'
	AF118X7	1-1/8" x 7" (Sold by Foot)
	AF118X7-12	1-1/8" x 7" x 12'
	AF118X7-16	1-1/8" x 7" x 16'
	AF138X5-12	1-3/8" x 5" x 12'
	AF138X7-12	1-3/8" x 7" x 12'
	AF138X7-16	1-3/8" x 7" x 16'
	AF1516X5-12	1-5/16" x 5" x 12'
	AF1516X7-12	1-5/16" x 7" x 12'
 OF114X12	AF19PLY4X8	19 Ply (28 mm x 46" x 94") Container Flooring (Part of AF19PLY4X8HG)
	OAK TRAILER FLOORING	
	OF114X12	1-1/4" x 12" (Sold by Foot)
	OF114X12-12	1-1/4" x 12" x 12'
	OF114X12-24	1-1/4" x 12" x 24'
	OF114X12-27	1-1/4" x 12" x 27'
	OF118-12	1-1/8" x 12" (Sold by Foot)
	OF118X12-12	1-1/8" x 12" x 12'
	OF118X12-24	1-1/8" x 12" x 24'
	OF118X12-27	1-1/8" x 12" x 27'
	OF138X12	1-3/8" x 12" (Sold by Foot)
	OF138X12-12	1-3/8" x 12" x 12'
 FS516X2	TORX HEAD FLOOR SCREWS	
	FS1/4X1	1/4" x 1"
	FS1/4X11/2	1/4" x 1-1/2"
	FS1/4X2	1/4" x 2"
	FS1/4X21/2	1/4" x 2-1/2"
	FS1/4X3	1/4" x 3"
	FS516X2	5/16" x 2"
	FS516X21/2	5/16" x 2-1/2"
	FS5/16X21/4	5/16" x 2-1/4"
	FS5/16X3	5/16" x 3"

TRAILER FLOORING

FLOORING & COMPONENTS, continued

	PN	DESCRIPTION
FLOOR CHANNEL		
 MS45-01	MS45-01	Steel
TREAD PLATE		
 TP24	TP24	Threshold Plate
CROSS MEMBER BOLT KITS*		
 CMBK	CMBK	
 KITTX06	KITTX06	Torx Head
FLOOR SEALER PRODUCTS		
 EC-53A/BSFK	EC-53A/BSFK	Floor Sealer Kit for 53' Trailer
FLOOR SEALER KIT		
 FP100ABQCF	FP100ABQCF	Quick Patch "Crack Filler" Quarts are packaged in two individual plastic containers making one (1) quart of final product. Pour Part B into Part A, mix and apply with a putty knife.
	FP100ABQCF	Quick Patch Crack Filler

* One kit covers one cross member

CROSS MEMBERS — UNPAINTED & UNPUNCHED, 102" LONG

	PN	HEIGHT	DESCRIPTION
 CM4X102	CM3X102	3"	Steel
	CM4X102	4"	Steel
	CMA4X102	4"	Aluminum

CROSS MEMBER CLIPS — STEEL

	PN	PENZ	DESCRIPTION
 1210-1635	1210-1635	70-04	
 1210-2816	1210-2816	70-10	No holes
 1210-2932	1210-2932	70-13	
 1210-2002	1210-2002	70-14	

ALUMINUM ROOFING COILS — 103" WIDTH

	PN	LENGTH	THICKNESS	DESCRIPTION
 ARC040X103-30	ARC040X103-30	30'	.040"	For 28' trailer
	ARC040X103-54	54'	.040"	For 53' trailer
	ARC040X103	*	.040"	*Sold by foot

ROOF EDGE TRIM (J-MOLDING)

	PN	LENGTH
 MS15-01	MS15-01	10'
	MS15-04	10.5'

TRANSLUCENT ROOFING – 102" WIDTH, 0.075" THICKNESS

	PN	LENGTH	DESCRIPTION
 TR075X102	TR075X102-29	29'	For 28' Trailer
	TR075X102-54	54'	For 53' Trailer


NOTE: Available in special order size. TR075X102-cut .075 sold by the foot.

ROOF REPAIR KITS

	PN	DESCRIPTION
 R50SNPTCHKIT1	TRANSLUCENT	
	TFIX	Kemlite
	FIBERGLASS	
	R50SNPTCHKIT1	Sunpatch

SIDEWALL & SKIRTS


SIDEWALL SCUFF LINERS

	PN	WIDTH	LENGTH	DESCRIPTION
 BPS5/8X18-52	POLY — 5/8" THICKNESS			
	BPS5/8X12-27	12"	27'	Black
	BPS5/8X12-52	12"	52'	Black
	BPS5/8X18-27	18"	27'	Black
	BPS5/8X18-52	18"	52'	Black
	WPS5/8X12-52	12"	52'	White
	WPS5/8X18-52	18"	52'	White
	WPS5/8X24-52	24"	52'	White
 FSL090X12X53	FIBERGLASS — 0.090" THICKNESS			
	FSL090X12X48	12"	48'	—
	FSL090X12X53	12"	53'	—
	FSL090X16X48	16"	48'	—
	FSL090X16X53	16"	53'	—
	FSL090X24X28	24"	28'	—
	FSL090X24X53	24"	53'	—
	FSL090X48X9	48"	9'	—
	FSL090X48X48	48"	48'	—
	FSL090X48X53	48"	53"	—
	FSL090X96X100	96"	100"	—
	FSL090X101X53	101"	53"	—
 FGP145X12	GATOR PLATE FIBERGLASS — 0.145" THICKNESS			
	FGP145X12	12"	350'	Available in special order sizes
	OAK — 3/4" THICKNESS			
	OSL3/4X12-27	12"	27'	—
	OSL3/4X12-52	12"	52'	—
 OSL34X12	STEEL & ALUMINUM			
	GSL12-52	12"	52'	Galvanized Steel
	GSL18-47	18"	47'	Galvanized Steel
	GSL18-52	18"	52'	Galvanized Steel
	ASL12X52	12"	52'	Aluminum
 GSL12-52				

TRAILER SKIRTS

	PN	DESCRIPTION
	204000	Trailer Blade Model 715
	EZ1932B	EZ EDGE Trailer Skirt

ALUMINUM & FLAT SIDE PANELS — PRE-PAINTED WHITE

	PN	REPLACES	MFG.	WIDTH	LENGTH	THICKNESS
 SS-70-01	SS050X49X110PPW	—	—	49"	110"	.050"
	SS050X49X120PPW	—	—	49"	120"	.050"
	SS050X49X144PPW	—	—	49"	144"	.050"
	SS70-01	P/NL1-10	Wabash	48"	112.75"	.331"
	SS70-02	P/NL1-16	Wabash	49"	112.75"	.331"

ALUMINUM TRAILER PATCHES




- Designed for quick field repairs on trailer panels
- Covers holes or other blemishes with a weather-tight seal
- 5 per box

	PN	DESCRIPTION
 PATCH12X125W0TR	PATCH12X125W0TR	12" x 12" white
	PATCH12X245W0TR	12" x 24" white

TRAILER SIDEWALL REPAIR KITS


	PN	DESCRIPTION
 V1212W	V1212W	12" x 12" White Aluminum
	V1224W	12" x 24" White Aluminum

CORRUGATED SIDE PANELS — 49" WIDE PRE-PAINTED WHITE

	PN	REPLACES	MFG.	CORRU-GATIONS	LENGTH	THICKNESS	DESCRIPTION
	SS18-01	11304	Great Dane	15	102.50"	.050"	Aluminum
	SS18-02	11305	Great Dane	16	110.50"	.050"	Aluminum
	SS51-01	700-513-27-26	Trailmobile	16	107.50"	.050"	Aluminum
	SS51-02	700-513-18-26	Trailmobile	17	115.50"	.050"	Aluminum
	SS60-01	3-6001-099	Utility	15	105.50"	.050"	Aluminum
	SS60-02	3-6001-105	Utility	16	117.125"	.050"	Aluminum
	SS60-03	3-6001-103	Utility	15	105.50"	.040"	Aluminum
	SS60-04	3-6001-183	Utility	15	105.50"	.040"	Aluminum
	SS70-03	WAB01C00059	Wabash	15	106.625"	.050"	Aluminum


TRAILER BODY

PLYWOOD ALUMINUM DIVIDER










	PN	LENGTH	THICKNESS	DESCRIPTION
MS1502				
	MS15-02	96"	1/4"	Aluminum

Available in special order sizes

PLYWOOD & LUAN TRAILER INTERIOR LINERS – 4' W x 8' L






	PN	THICKNESS	DESCRIPTION
	LUAN1/4X4X8	5.2 mm	Luan
	PLY1/4X4X8BC	1/4"	BC Grade
	PLY1/4X4X8CDX	1/4"	CDX
	PLY1/2X4X8CDX	1/2"	CDX


ROOF BOWS

	PN	REPLACES	LENGTH	DESCRIPTION
APPLICATION FOR DORSEY®				
 RB15-04-102	RB15-04-102	121069907	98.69"	Anti-Snag, Steel
 RB15-05-102	RB15-05-102	1209108	98.69"	Steel
APPLICATION FOR FRUEHAUF				
 RB16-01-102	RB16-01-102	RCF-4335-4	98.5"	Anti-Snag, Chambered, Aluminum
 RB16-02-102	RB16-02-102	RCF-4048-1	98.5"	Chambered, Aluminum
 RB16-03-102	RB16-03-102	RCF-3718-1	98.5"	Anti-Snag, Chambered, Aluminum
 RB16-04-102	RB16-04-102	RCF-8431-1	98.5"	Chambered, Aluminum
 RB16-05-102	RB16-05-102	RCF-8426-2	97.125"	Anti-Snag, Flattened, Steel
APPLICATION FOR HYUNDAI				
 RB21-02-102	RB21-01-102	20002799	99"	Anti-Snag, Aluminum
 RB21-01-102	RB21-02-102	20003531	—	Chambered







ROOF BOWS

ROOF BOWS, continued

	PN	REPLACES	LENGTH	DESCRIPTION
APPLICATION FOR GREAT DANE				
	RB18-01-96	08581	92.25"	Chambered, Aluminum, Crimped End
	RB18-02-102	14113	98.61"	
	RB18-03-102	41203002	98.15"	Chambered, Steel
	RB18-04-96	41203008	91.80"	.75 Chambered, Steel
	RB18-04-102	69102526	98.62"	
	RB18-05-102	RC14300	99.12"	Steel
	RB18-06-102	41203004	98.16"	Chambered, Steel
	RB18-07-102	41203006	98.16"	Chambered, Aluminum
	RB18-10-102	18379	92.25"	Chambered Steel, Crimped End
	RB18-11-102	18380	98.61"	
APPLICATION FOR LUFKIN				
	RB22-01-102	60101	99"	3/8" Arch, Steel
APPLICATION FOR STRICK				
	RB50-01-96	SK27821	92.75"	1 Piece w/ Standard Arch
	RB50-02-102	SK27820	98.78"	1 Piece w/ Standard Arch
	RB50-04-102	SK01510	98.78"	N/S 1 Piece w/ High Arch
	RB50-06-102	SK01512	100.38"	1 Piece w/ Arch
	RB50-08-102	SK01513	99.4375"	1 Piece w/ High Arch







ROOF BOWS, continued








	PN	REPLACES	LENGTH	DESCRIPTION
APPLICATION FOR STOUGHTON®				
 RB45-03-102	RB45-02-102	23-06636-000-00	98.75"	Steel
 RB45-06-102	RB45-03-102	23-03117-000-00	98.75"	Aluminum
	RB45-04-102	23-04006-000-00	98.25"	Steel
 RB51-02-102	RB45-05-102	23-04006-001-00	99.25"	Steel
 RB51-05-102	RB45-06-102	04-20020-001-00	98.75"	Steel
APPLICATION FOR TRAILMOBILE®				
	RB51-02-102	514-3-145A-2	99-1/8"	Aluminum, Chambered, Hat
 RB51-06-102	RB51-05-102	9514-3-78B	99-1/8"	Steel, Chambered, Hat
 RB51-07-102	RB51-06-102	90-4-1801-0-100	100"	Aluminum, Hat
	RB51-07-102	514-3-152B	99-1/8"	Anti-Snag, Chambered, Steel

NOSE POSTS

NOSE POSTS











	PN	REPLACES	LENGTH	DESCRIPTION
APPLICATION FOR GREAT DANE				
 NP18-01	NP18-01	09432	110"	w/ Joggle
APPLICATION FOR STOUGHTON®				
 1-08034-XXX-00	1-08034-XXX-00	01-06360-000-00 01-04993-000-00 01-06668-000-00	111.75"	Galvanized Steel, Not Punched
 01-12992-006-00 OR 03-12991-110-00	01-12992-006-00	—	107.38"	Offset Bottom Galvanized Steel, Punched
	03-12991-110-00	—	110"	Offset Bottom Galvanized Steel, Unpunched w/ Joggle
APPLICATION FOR WABASH®				
 NP70-01	NP70-01	WAB04S00020	110"	Steel, Punched

SIDE POSTS

	PN	REPLACES	LENGTH	DESCRIPTION
APPLICATION FOR FRUEHAUF				
 SP16-02	SP16-02	STKP30237-110	110"	Steel
 SP16-04	SP16-04	STK20564-108	112"	Aluminum
APPLICATION FOR GREAT DANE				
 SP18-01	SP18-01	69103072	107"	Logistics, A-Slot
 SP18-03	SP18-03	71232	112"	Aluminum, 1" Z-Post
APPLICATION FOR HYUNDAI®				
 SP21-01	SP21-01	10005679	110"	Aluminum
 SP21-02	SP21-02	10011202	110"	Logistics, A-Slot
APPLICATION FOR MONON				
 SP30-01	SP30-01	AX038496-110	110"	Aluminum Container


SIDE POSTS

SIDE POSTS, continued


	PN	REPLACES	LENGTH	DESCRIPTION
APPLICATION FOR MORGAN®				
 SP32-01	SP32-01	A0000119	109" (after 1997)	Steel, Z-Post
 SP32-02	SP32-02	14211	109"	Aluminum, Z-Post
APPLICATION FOR STOUGHTON®				
 SP45-01	SP45-01	02-04793-110-00	110"	Aluminum
 SP45-03	SP45-03	03-13042-108-75	108.75"	Logistics, Steel, A-Slot
 02-14396-096-00	02-14396-096-00	—	96"	Aluminum Capping
 SP45-10	SP45-10	02-19144-107-56	107.5625"	Aluminum
APPLICATION FOR STRICK				
 SP50-04	SP50-04	SK46230	107.375"	Logistics, A-Slot
 SP50-05	SP50-05	SK02155	107.50"	Punched
APPLICATION FOR TRAILMOBILE®				
 TM513-5-600-1250	TM513-5-600-1250		120"	Logistics, Punched A-Slot
 TM990-4-983-0-123	TM990-4-983-0-123		110"	Steel

**TECH TIP**

Wondering what an **A-Slot** and **E-Slot** are? Here's a visual reference.







A-Slot







E-Slot

SIDE POSTS, continued





	PN	REPLACES	LENGTH	DESCRIPTION
APPLICATION FOR WABASH®				
 SP70-01	SP70-01	WABE4681114	111.25"	Aluminum
 SP70-03	SP70-03	WABE8411260	126"	Logistics, Aluminum Outer
 SP70-05	SP70-05	WAB01200047	110"	Logistics, Steel
 WAB01200069	—	WAB01200069	110"	Steel, Punched

BOTTOM RAILS









	PN	REPLACES	LENGTH	DESCRIPTION
APPLICATION FOR GREAT DANE				
 BR18-02-624	BR18-02-624	60308901, AE2P000-5210	52'2"	P-Series
 BR18-03-624	BR18-03-624	004-09864-09940	621.25"	Q-Model
APPLICATION FOR HYUNDAI				
 BR21-01-624	BR21-01-624	10007409	52'	New Style
 BR21-04-468	BR21-04-468	10005678	38'7"	—

BOTTOM RAILS

BOTTOM RAILS, continued










		PN	REPLACES	LENGTH	DESCRIPTION
APPLICATION FOR STOUGHTON®					
	BR45-02-564	BR45-03-468			
		BR45-02-624	02-09727-620-75	620.75"	—
		02-09828-464-75	—	464.75"	—
	BR45-04-468	BR45-05			
		BR45-04-468	02-13350-463-75	463.75"	Container
		BR45-05-624	02-20498-621-25	621.75"	—
APPLICATION FOR UTILITY®					
	BR60-01	BR60-03			
		BR60-01-625	1-6650-114	52'1"	—
		BR60-03-624	1-6650-061, 1-6650-91	621.50"	—
APPLICATION FOR WABASH®					
	BR70-02	BR70-03-624			
		BR70-02-624	WABE3836260	52'	—
		BR70-03-624	WABE0366260	52'	Reefer

TOP RAILS











	PN	REPLACES	LENGTH	DESCRIPTION
APPLICATION FOR GREAT DANE				
 TR18-04-624	TR18-04-624	60304406, 60304402	616"	
 TR18-05-624	TR18-05-624	AE1P000-5205, 60309001	620.60"	P-Series
 TR18-05-325	TR18-05-325	AE1P000-2705	324.60"	P-Series
 TR18-07-624	TR18-07-624	60311701	623.63"	P-Series, Thin Wall
APPLICATION FOR HYUNDAI				
 TR21-01-480	TR21-01-480	10004927	38'8.25"	
 TR21-02-624	TR21-03-624	10004926	51'7"	
APPLICATION FOR STOUGHTON®				
 TR45-01-624	TR45-01-624	02-06388-620-75	620.75"	
 TR45-03-465	02-10205-464-75	—	464.75"	

TOP RAILS

TOP RAILS, continued










	PN	REPLACES	LENGTH	DESCRIPTION
APPLICATION FOR STRICK				
 TR50-02-624	TR50-0 2-624	SK06043, AA93C-0122-51-T5	51'9"	
APPLICATION FOR TRAILMOBILE®				
 TR51-03-625	TR51-03-625	90-4-2305-625, 90-4-2305-613	52'1"	N/S
APPLICATION FOR UTILITY®				
 TR60-01-625	TR60-01-625	1-6650-113	52'1"	
 TR60-03-624				
 TR60-03-624	TR60-03-624	1-6650-179	52'	N/S Dry Van
 TR70-02-624	TR60-05-624	1-6650-150	52'	3000R
 TR70-02-624				
 TR70-03-624	TR70-02-624	WABE0076260	52'	Duraplate
 TR70-03-624	TR70-03-624	WABE0556260	52'	Wedge

NOSE RAILS










	PN	REPLACES	LENGTH	DESCRIPTION
APPLICATION FOR DORSEY®				
 NR15-03-102	NR15-03-102	251128702		6" Radius
 NR15-06-102	NR15-06-102	251122102	102"	10" Radius
APPLICATION FOR FRUEHAUF				
 NR16-03-96	NR16-03-102	WCF3959-1	101.38"	FB+ 10" Radius
 NR16-05-96	NR16-05-96	WCF5903-2	95.38"	10" Radius
APPLICATION FOR GREAT DANE				
 NR18-01-96	NR18-02-102	76340	101.86"	10" Radius
 NR18-08-102	NR18-08-102	41200863	101.86"	6" Radius
APPLICATION FOR HYUNDAI				
 NR21-01	NR21-01-102	10003146		6" Radius
 NR21-02	NR21-02-102	10007412		6" Radius
APPLICATION FOR STOUGHTON®				
 NR45-04	NR45-04-96	02-06388-083-50	83.50"	
 NR45-06	NR45-05-102	02-06388-091-50	91.50"	
	NR45-06-102	02-10205-091-00	91"	

NOSE RAILS

NOSE RAILS, continued












	PN	REPLACES	LENGTH	DESCRIPTION
APPLICATION FOR TRAILMOBILE®				
	NR51-03-96			
	NR51-04-102			
	NR51-06			
	NR60-01			
	NR60-04-102			
	NR70-03-102			
	NR70-04-102			
	NR70-07-102			
	NR70-09-102			
APPLICATION FOR UTILITY®				
	NR60-01-102	3-6650-310	101 7/8"	
	NR60-04-102	3-6650-510		
	NR60-01-102	3-6650-310	101 7/8"	
	NR60-04-102	3-6650-510		
APPLICATION FOR WABASH®				
	NR70-03-102	WAB04A00211	11 15/16" Legs, 102" Trailer	5" Radius
	NR70-04-102	WAB04A00218	2" Legs	5" Radius
	NR70-07-102	WAB04A01826	101.58"	5" Radius
	NR70-09-102	WAB04A02474		5" Radius Freight Pro

CORNER RADIUS PANELS & POSTS








	PN	REPLACES	LENGTH	DESCRIPTION
APPLICATION FOR DORSEY				
 CR15-01 10" Radius	CR15-02	FA30382	109"	RP, 10" Radius
APPLICATION FOR HYUNDAI				
 CR21-01	CR21-01	20005584	106.88"	RP, steel
 CR21-08 6" Radius	CR21-08	20008663	106.88"	RP, 6" Radius, Aluminum (PPW)
APPLICATION FOR FRUEHAUF				
 CR15-03 6" Radius	CR15-03	FA30783	104"	RP, 6" Radius
 CR16-01	CR16-01	WCF9230-1	108.88"	RP, Aluminum
 CR16-03 5" Radius	CR16-03	WCD-1971-6	105.88"	Universal
APPLICATION FOR GREAT DANE				
 CR18-01 10" Radius	CR18-01	08670	114"	RP, 10" Radius (PPW)
 CR18-05 3" Radius	CR18-05	69104743002	102.25"	RP, 3" Radius (PPW)
 CR18-10 6" Radius	CR18-10	69105418001	98.63"	RP, 6" Radius

CORNER RADIUS PANELS & POSTS

CORNER RADIUS PANELS & POSTS, continued


	PN	REPLACES	LENGTH	DESCRIPTION
APPLICATION FOR MONON				
 CR30-01	CR30-01	EC033532	110"	RP, Beveled Aluminum (PPW)
 CR30-04	CR30-02	EC032530	110"	RP, Beveled Steel (PPW)
 CR40-01	CR30-04	V04-132A	112"	RP, Aluminum (MF)
APPLICATION FOR PINES				
 CR40-06	CR40-01	AE33301-1031	110.31"	CP, (PPW)
 CR45-05	CR40-06	ASB5164	110"	RP, 9.38" Radius
APPLICATION FOR STOUGHTON®				
 CR45-04	01-08581-XXX-01	—	110.25"	RP, Beveled Aluminum (PPW)
 CR51-04	01-08581-XXX-05	—	110.25	RP, Beveled Steel (PPW)
 CR51-05	CR45-04	01-12994-XXX-00	107"	RP, Beveled Aluminum (PPW)
 CR51-05	CR45-05	01-12994-XXX-04	107"	RP, Beveled Stainless Steel, Mirror (PPW)
FOR TRAILMOBILE®				
 CR51-04	CR51-04	RP-958K-PPW	117.50"	RP, 6" Radius, Aluminum (PPW)
 CR51-05	CR51-05	9519-1-507-E9	108.13"	RP, Steel Inner

CORNER RADIUS PANELS & POSTS, continued

	PN	REPLACES	LENGTH	DESCRIPTION
APPLICATION FOR STRICK				
 CR50-01 7" Radius 15.00" 13.31"	CR50-01	SK21887	101.50"	RP, 7" Radius, Aluminum (PPW)
 CR50-02 .375" Radius 8.1875" 10.25"	CR50-02	SK16313	105.25"	RP, Aluminum Beveled (PPW)
APPLICATION FOR UTILITY®				
 CR60-02 6.375" 5.740" 4.625" .800" 1.312" .718" 1.125"	CR60-02	1-6500-156	116.50"	RP (MF)
 CR60-04 6.375" 6.656"	CR60-03	1-6500-155	116.50"	RP (PPW)
 CR60-04 6.375" 6.656"	CR60-04	1-6500-139	—	CP, Aluminum (Para Model)
FOR WABASH				
 CR70-01 5" Radius 12" 4.575" 2.125"	CR70-01	WABE6141200	120"	RP, 5" Radius, Aluminum (MF)
 CR70-02 5" Radius 13" 4.575" 2.125"	CR70-02	WABE8351200	120"	RP, 5" Radius, Aluminum (MF)


CORNER CAPS

CORNER CAPS

	PN	REPLACES	DESCRIPTION
APPLICATION FOR FRUEHAUF			
 CC16-01	CC16-01	WCF-9196-1	Universal
APPLICATION FOR GREAT DANE			
 CC18-03	CC18-03	69104789	Universal P-Series Thin
 CC18-04	CC18-04	CCB7177	P-Series
 CC18-05	CC18-05	CCB9857	Corner Cap
 CC18-06	CC18-06	69102183	Universal Crowley
 CC18-07-CS	CC18-07-CS	005-42920	CS* w/ Hole 2.25" (N/S)
 CC18-08-RS	CC18-08-RS	005-42921	RS* w/ Hole 2.25" (N/S)
APPLICATION FOR MONON®			
 CC30-01-CS	CC30-01-CS	V02-197-R	CS Beveled
 CC30-02-RS	CC30-02-RS	V02-198-L	RS Beveled
 CC30-03	CC30-03	AI042138	Universal









* CS = Curbside and RS = Roadside

CORNER CAPS, continued

	PN	REPLACES	DESCRIPTION
APPLICATION FOR STOUGHTON®			
 CC45-02			
 CC45-07			
	CC45-02	04-12835-000-00	Front
	CC45-07	04-19507-000-00	Front Aluminum
APPLICATION FOR STRICK			
 CC50-03			
 CC50-04-RS			
	CC50-03	SK01792	Universal Round
	CC50-04-RS	SK14393	RS Beveled
 CC50-05-CS			
 CC50-07			
	CC50-05-CS	SK14394	CS Beveled
	CC50-07	SK03500	Universal Round (N/S)
 CC50-09			
	CC50-09	SK54960	Corner Cap
APPLICATION FOR SUPREME®			
	CC52-01-CS	001015	Curbside Corner Cap — Aluminum
 CC52-02			
 CC52-01-CS			
	CC52-05-CS	001015	Curbside Corner Cap — Plastic
	CC52-02-RS	001014	Roadside Corner Cap — Aluminum
 CC52-03			
	CC52-06-RS	001014	Roadside Corner Cap — Plastic
	CC52-03	001036	Van Aluminum Rear Casting
APPLICATION FOR TRAILMOBILE®			
 CC51-03			
	CC51-03	7511-A1-05	Universal (2005 Model)
APPLICATION FOR WABASH®			
 CC70-01			
	CC70-01	WAB04300002	Universal Beveled

BUMPERS & WHEEL CHOCKS

BUMPERS

	PN	HOLES	DIMENSION	A	B	C	D
GT2006 	GT-2006	2-Hole	6" x 3" x 3-1/2"	1-1/2"	1-3/4"	3"	9/16"
GT2027 	GT-2027	2-Hole	5-3/4" x 3-3/4" x 4-1/2"	13/16"	1-3/4"	3-1/4"	11/16"
GT2042 	GT-2042	2-Hole	7-7/8" x 2-1/2" x 2"	1-1/2"	1"	4-5/8"	9/16"
GT2044 	GT-2044	2-Hole	6" x 2-3/4" x 3-1/4"	1-1/2"	1-5/8"	2-5/8"	17/32"
GT2312 	GT-2312	2-Hole	6" x 2-3/8" x 3-1/4"	1-3/8"	1"	2-5/8"	17/32"
GT2036 	GT-2036	4-Hole	8" x 5-1/4" x 3-5/8"	5-1/2"	3/4"	3-1/4"	—
GT2045 	GT-2045	4-Hole	7-5/8" x 5-1/2" x 3-5/8"	5-1/2"	9/16"	3"	—
GT2046 	GT-2046	4-Hole	8" x 6" x 3"	5-3/8"	9/16"	3-1/8"	—

WHEEL CHOCKS

	PN	DESCRIPTION	DIMENSION
	GT-2047	Heavy Duty, Large Zinc-Plated Eyebolt, Non-Skid	8" x 10" x 6"
	GT-2048	Heavy Duty, Most Popular, Zinc-Plated Eyebolt, 9 lb	8" x 9.5" x 5.75"
	GT-2055	Stair Step Wheel Chock	8" x 9.5" x 6"
	430030P	9 lb	—
	450050P	12 lb	—

QUARTER FENDERS POLY & METAL



	PN	DESCRIPTION	TOP FLAP	FEATURES	WGT/LB	REPLACES	MOUNTING BRACKETS	NOTES
	031-00406	2 Poly Fenders w/ Clamps	No	Aerodynamic	17.3	—	031-00234 or 031-00235	Post or Side Mount
	1900-KIT	2 Poly Fenders w/ Clamps	Yes Black	Standard	22.46	031-01651/A 1900-KIT	031-00234 or 031-00235	Post or Side Mount
	031-0069/A	2 Stainless Steel Fenders w/ Clamps	Yes Black	Standard	29.38	1585B-Kit 031-01070	031-00234 or 031-00235	Post or Side Mount
	031-10069/A	2 16-ga Black Steel Fenders w/ Clamps	Yes Black	Standard	31	1590B-Kit	031-00234 or 031-00235	Post or Side Mount

TOP FLAPS



	PN	DESCRIPTION	FEATURES	WEIGHT/LB	REPLACES	NOTES
	033-00011	Rubber Flap — Single	Plain Black 24"	1.2	2406P	Universal
	033-00242	Rubber Flap w/ Hardware — Pair	Plain Black 24"	3.7	2406P	Universal

FULL ROUND SINGLE FENDERS — METAL & POLY



	PN	DESCRIPTION	QTY	WEIGHT	LENGTH (TIP TO TIP)	WIDE	ECONOMY MOUNTS	FINISH
	034-01324	18 ga Polished SS Rolled Edges	Pair	52	69.25"	24"	031-02004	Ribbed
	034-02241	16 ga Polished SS Rolled Edges	Pair	66	71"	24"	031-02004	Smooth
	031-01529	Poly Full Round PP — Red	Pair	35	46"	25.5"	031-02000	Poly
	031-01524	Poly Full Round PP — White	Pair	35	46"	25.5"	031-02000	Poly
	031-01520	Poly Full Round PP — Black	Pair	35	46"	25.5"	031-02000	Poly

FLEET ENGINEERS
A DIVISION OF TRAMEC SLOAN

QUARTER FENDERS

MADE IN USA

40 YEARS IN THE MAKING

Fleet Engineers has been designing and perfecting quarter fenders for over 40 years. Discover our versatile style and performance for optimal spray control.



AeroSlipper
031-00406
Sold in pairs



Cross Tube Classic
031-10069/A
Sold in pairs



Cross Tube Poly
1900KIT
Sold in pairs

FENDERS

HALF TANDEM FENDERS — METAL & POLY



	PN	DESCRIPTION	QTY	WEIGHT	LENGTH (TIP TO TIP)	WIDE	ECONOMY MOUNTS	FINISH
 034-01497	034-01320	18 ga Polished SS Rolled Edges	Pair	50	56"	24"	031-02005	Ribbed
	034-01497	18 ga Polished SS Rolled Edges	Pair	65	76"	24"	031-02005	Ribbed
	034-01316	18 ga Polished SS Rolled Edges	Pair	90	112"	24"	031-02025	Ribbed
	034-02240	16 ga Polished SS Smooth	Pair	62	56"	24"	031-02005	Smooth
	031-01647	Poly 1/2 Tandem PP — Red	Pair	32	54"	27.5"	031-02015	Poly
	031-01648	Poly 1/2 Tandem PP — White	Pair	32	54"	27.5"	031-02015	Poly
	031-01646	Poly 1/2 Tandem PP — Black	Pair	32	54"	27.5"	031-02015	Poly

FULL TANDEM FENDERS



	PN	DESCRIPTION	QTY	WEIGHT	LENGTH (TIP TO TIP)	WIDE	ECONOMY MOUNTS	FINISH
 031-01741	034-01313	16 ga Polished Alum Rolled Edges	Pair	40	102"	24"	031-02038	Ribbed
	034-01493	18 ga Polished SS Rolled Edges	Pair	94	107"	24"	031-02038	Ribbed
	031-01741	Poly Full Tandem PP — Red	Pair	64	107"	27.5"	031-02044	Poly
	031-01742	Poly Full Tandem PP — White	Pair	64	107"	27.5"	031-02044	Poly
	031-01740	Poly Full Tandem PP — Black	Pair	64	107"	27.5"	031-02044	Poly

UNIVERSAL FENDER MOUNTING BRACKETS



	PN (1 BRACKET)	PN (1 PAIR)	DESCRIPTION
SIDE STYLE END MOUNT			
 031-00253	032-00253	031-00870	RoadKote E-Coated Black
	034-01545	031-00845	Zink Plated Steel
POST STYLE END MOUNT			
 034-01660	034-01660	031-01250	RoadKote E-Coated Black
	034-01661	031-01251	Stainless Steel
 034-01600	034-01600	031-00883	RoadKote E-Coated Black
	034-01602	031-00886	Stainless Steel
ROUNDED END MOUNT			
 034-00867	034-00867	031-00542	Black Steel
	034-01546	031-00846	Stainless Steel
 034-00866	034-00866	031-00541	Black Steel

FULL ROUND BRACKET MOUNT KITS



	PN (1 BRACKET)	PN (1 PAIR)	DESCRIPTION
ECONOMY POLY			
 031-02000	031-01253	031-02000	Black Steel
	031-01254	031-02004	Stainless Steel
METAL FENDER ADJUSTABLE UP TO 5" OFFSET			
 031-02011	—	031-02011	Black Steel
	—	031-02013	Stainless Steel

FENDER KITS & MOUNTING ACCESSORIES

SINGLE RADIUS OR 1/2 TANDEM KITS



	PN (1 PAIR)	PN (2 PAIR)	DESCRIPTION
POST STYLE MOUNTING SET			
 031-02002	—	031-02002	Black Steel
	—	031-02004	Stainless Steel
OFFSET BRACKETS			
 031-02015	—	031-02015	Black Steel
	—	031-02051	Stainless Steel
METAL BRACKET KIT			
 031-02021	—	031-02021	Black Steel

DOUBLE RADIUS OR FULL FENDERS

Due to the multiple combinations for DR fenders, please go to the Fleet Engineers website (FleetEngineers.com) and select the best mounting system for your truck application. FleetPride stocks a wide variety of mounting brackets and sets at each location.

FENDER MOUNTING ACCESSORIES



	PN	DESCRIPTION
MOUNTING SUPPORT		
 031-00832	031-00823	Kit — 4 Brackets w/ SS Hardware
PIVOT BAR		
 031-01586	031-01586	Kit — 2 PB w/ Bolts up to a 4" — 360° Offset
VIBRO WEDGE (BUGKILLER)		
 031-00096	031-00096	4 Mounts SS Hardware — Curved
	031-00097	4 Mounts SS Hardware — Flat

LEG SETS

10-Bolt Set

- Static load capacity 170,000 lb
- Lifting capacity 60,000 lb
- Side load capacity 29,000 lb
- Comparable to KIC & other 10 hole legs
- 17" travel sand shoe
- Hardware included for set only

	SET PN	SAND SHOE	GEAR SIDE LEG	NON-GEAR SIDE LEG	EXTENDED LENGTH (A)	RETRACTED LENGTH (B)	UPPER LEG (C)
--	--------	-----------	---------------	-------------------	---------------------	----------------------	---------------



LL5B1-7078

LL5B1-7078	Standard	LL5B1-7200	LL5B1-7100	51.68	33.18	32.5
------------	----------	------------	------------	-------	-------	------

LL5B1-7078 includes:

- LG00946900 — 69" Cross shaft
- XBLG0085 — Crank Hangar
- 50618018(x2) — Brace Ear
- 1003-1366 — 15" Universal Crank Handle

8-Bolt Set

- Static load capacity 140,000 lb
- Lifting capacity 39,000 lb
- Side load capacity 27,000 lb
- Direct replacement for Austin-Westran CMR/CMS (models)
- 17" travel sand shoe
- Hardware included for set only

	SET PN	SAND SHOE	GEAR SIDE LEG	NON-GEAR SIDE LEG	EXTENDED LENGTH (A)	RETRACTED LENGTH (B)	UPPER LEG (C)
--	--------	-----------	---------------	-------------------	---------------------	----------------------	---------------



LL4B1-7078

LL4B1-7078	Standard	LL4B1-7200	LL4B1-7100	48.19	31.19	28.06
------------	----------	------------	------------	-------	-------	-------

LL4B3-7078	Low Profile	LL4B3-7200	LL4B3-7100	45.69	28.69	28.06
------------	-------------	------------	------------	-------	-------	-------

LL4B1-7078 and LL4B3-7078 includes:

- LG00946900 — 69" Cross shaft
- XBLG0085 — Crank Hangar
- 50618018(x2) — Brace Ear
- 1003-1366 — 15" Universal Crank Handle

Landing Gear Bolt Kit

- Universal for 8- and 10-bolt sets

	PN	DESCRIPTION
--	----	-------------



LGBK10

10 pieces: 5/8" — 11 x 1-1/2" Bolts
10 pieces: 5/8" — 11 Nylon Insert Lock Nuts

LEG SETS

LEG SETS — HOLLAND




Atlas 55

- Static load capacity 170,000 lb
- Lifting capacity 55,000 lb
- Side load capacity 30,000 lb
- Hardware included for sets only

	SET PN	TRAVEL SAND SHOE	GEAR SIDE LEG	NON-GEAR SIDE LEG
	LG4001-700000078	17" Standard	LG4001-720000000	LG4001-710000000
	LG4003-700000078	17" Low Profile	LG4003-720000000	LG4003-710000000
	LG400B-700000078	17" 10 x 10 Cushion Foot	LG400B-720000000	LG400B-710000000
	LG4001-700000078	19" Standard	LG4001-920000000	LG4001-910000000
	LG4003-700000078	19" Low Profile	LG4003-920000000	LG4003-910000000


Atlas 55 Travel — Special Order Only



	SAND SHOE	EXTENDED LENGTH (A)	RETRACTED LENGTH (B)	UPPER LEG (C)
	15.5" TRAVEL			
	Removable Cushion Foot	43.75	28.25	26.56
	4.5"	45.19	29.69	26.56
	2"	42.69	27.19	26.56
	17" TRAVEL			
	Removable Cushion Foot	48.75	31.75	30.06
	4.5"	48.19	31.19	28.06
	2"	45.69	28.69	28.06
	17" MRL TRAVEL			
	Removable Cushion Foot	46.75	29.75	28.06
	19" TRAVEL			
	Removable Cushion Foot	51.38	32.38	30.06
	4.5"	52.69	33.69	30.06
	2"	50.19	31.19	30.06

LEG SETS — HOLLAND, continued

Atlas 55



* Part Number 12 for left hand application; Part Number 23 for right hand application

LEG SETS

LEG SETS — HOLLAND, continued



Atlas 55

ITEM	PN	DESCRIPTION	ITEM	PN	DESCRIPTION
1A	N/A	Upper Housing LH	24	2040100000060	Gear, Drive, High Speed — Machined
1B	N/A	Upper Housing RH	25	2040100000050	Gear, Drive, Low Speed — Machined
3	XB-LG0544	Collar	26	XB-GP-052-21	Groove Pin, Type E DIA .38" x 2.00" Lg
4	XB-BRG-013-77	Thrust Bearing	27	2111100003400	Shift Shaft — Universal
5	XB-PW-016-62	Washer — FL 2"OD x 1.19" ID x .13" THK	27	2111100003410	- I-Beam & Conventional
6	XA-CRP-V-06635	Pin — DIA .38" x 2"	27	2111100003420	- Reverse
7	LG2884	Bevel Gear	30	LG2975	Idler Gear
8	LG1823-02	Pinion Gear	32	2022100000180	Boss, Hex Lock — Oversized
9	XB-GP-014-18	Groove Pin — DIA .38" x 1.50"	33	LG2926-10	Hex Lock Boss — Sealed
10	XB-GRF-022-16	Ftg — Grease .25"-28 Self Tapping	34	LG3005	Idler Shaft Bushing (Included in Item #23)
11	2024100000100	O-Ring, #319	35	LG0659-10	Boss Bearing — Sealed (Included in Item #20)
12	LG2964-01	Jack Shaft LH — Universal Mount	38	50616001	Sandshoe — 10" x 10" x 4.50"
12	LG2964-04	- I-Beam Mount, 6.50"	38	50616000	- 10" 12" x 4.50"
12	LG2964-05	- I-Beam Mount, 10.00"	38	50616008	- 10" x 10" x 2.00"
12	LG2964-02	- Conventional Mount	38	50616007	- 10" x 12" x 2.00"
12	LG2964-03	- Reverse Mount	39	LG0070-02	Sandshoe Axle — Hollow Axle 8.50" Lg
13	N/A	Pin — Spring DIA .25" x 1.5" (Not Required)	40	XB-HHC-050-69	Screw, Hex Cap .38"-16 x .75" Lg GR5 — Sandshoe
15	2111100004080	Top Cover	40	XB-HHC-050-69	Screw, Hex Cap .38"-16 x .75" Lg GR5 — Low Profile RCF
16	XB-STS-008-11	Self-Tapping Screw .25"-20 x .5" Lg	41	LG0725	Cushion Foot Plate
17	XB-HHC-050-42	Screw, Hex Cap .38"-16 x 2.25" Lg GR5	42	XB-LG0726	Cushion Foot Rubber
18	XB-SLN-012-04	Self-Locking Nut .38"-16 — Sandshoe	43	XB-HHB-050-70	Bolt — Hex Head .63"-11 x 5.50"
18	XB-SLN-012-04	- Low Profile RCF	44	LG0718-01	R.C.F. — DIA 10"
18		- RCF	44	LG0740-01	- DIA 12"
19	XB-PW-016-03	Washer .38" Std Type A	44	LG0732-01	- 10" x 10"
20	LG2996	Gearbox Half, Outside w/ Hole for Grease Fitting	45	XB-SP0012-10	Self-Locking Nut — .63"-11"
22	LG2980	Output Gear	48	728003	Cushion Foot Pad — Low Profile RCF
23	LG2963-01	Jackshaft RH — Universal Mount	49	730640	Interchangeable Collar — Low Profile RCF
23	LG2963-04	- I-Beam Mount, 6.50"	50	730638	Interchangeable Strap
23	LG2963-05	- I-Beam Mount, 10.00"	51	XB-GP-052-52	Pin Groove, .31" Dia. x 2.00" Lg
23	LG2963-02	- Conventional Mount			
23	LG2963-03	- Reverse Mount			

ITEM	DESCRIPTION	RETRACT TUBE CODE	TRAVEL					
			13.50"	15.50"	17"	17" CAN.	17" MRL	19"
2A	Retract Tube — RCF	0 or 5 (MRL)	LG3053-01	LG3053-02	LG3053-04	N/A	LG3053-03	LG3053-05
2B	Retract Tube — Low Profile RCF	0	LG3097-01	LG3097-02	LG3097-03	N/A	N/A	NA
2C	Retract Tube — Axle	0	LG3012-01	LG3012-02	LG3012-03	N/A	N/A	LG3012-04
2D	Retract Tube — Shockfoot 10" DIA	0,6 (CAN) or B	LG3061-02	LG3061-03	LG3061-04	LG3061-07	LG3061-10	LG3061-13
2E	Retract Tube — Shockfoot 12" DIA	0,6 (CAN) or B	LG3061-01	N/A	LG3061-05	LG3061-08	LG3061-11	LG3061-14



LEG SETS — HOLLAND, continued


Atlas 65

- Static load capacity 170,000 lb
- Side load capacity 34,000 lb
- Lifting capacity 65,000 lb
- Hardware included for sets only

	SET PN	TRAVEL SAND SHOE	GEAR SIDE LEG	NON-GEAR SIDE LEG
	1025300006430	17" Standard	1025300006450	1025300006460
	1025300006550	17" Standard w/ Hardware	1025300006450	1025300006460
	1025300011700	19" Standard w/ Hardware	1025300006530	1025300006520
	1025300009720	19" Low Profile w/ Hardware	1025300006420	1025300006410

Atlas 65 Travel — Special Order Only




	SAND SHOE	EXTENDED LENGTH (A)	RETRACTED LENGTH (B)	UPPER LEG (C)
15.5" TRAVEL				
	Removable Cushion Foot	43.91	28.41	26.56
	4.5"	45.35	29.85	26.56
	2"	42.85	27.35	26.56
17" TRAVEL				
	Removable Cushion Foot	48.91	31.91	30.06
	4.5"	48.35	31.35	28.06
	2"	45.85	28.85	28.06
17" MRL TRAVEL				
	Removable Cushion Foot	46.91	29.91	28.06
19" TRAVEL				
	Removable Cushion Foot	51.54	32.54	30.06
	4.5"	52.85	33.85	30.06
	2"	50.35	31.35	30.06

LEG SETS

LEG SETS — HOLLAND, continued



Atlas 65 Standard



* Part Number 12 for left hand application; Part Number 23 for right hand application



LEG SETS — HOLLAND, continued

Atlas 65 Standard

ITEM	PN	DESCRIPTION	ITEM	PN	DESCRIPTION
1A	N/A	Upper Housing LH	27	2111100003400	Shift Shaft — Universal
1B	N/A	Upper Housing RH	27	2111100003410	- I-Beam & Conventional
3	XB-LG0544	Collar	27	2111100003420	- Reverse
4	XB-BRG-013-77	Thrust Bearing	30	LG2975	Idler Gear
5	XB-PW-016-62	Washer — FL 2" OD x 1.19" ID x .13" THK	32	2022100000190	Hex Lock Boss
6	XA-CRP-V-06635	Pin — DIA .38" x 2"	33	2022300000020	Hex Lock Boss — Sealed
7	LG2884	Bevel Gear	34	LG3005	Idler Shaft Bushing (Included in Item #20)
8	LG1823-02	Pinion Gear	35	LG0659-10	Boss Bearing — Sealed (Included in Item #20)
9	XB-GP-014-18	Groove Pin — DIA .38" x 1.50"	38	LG0056	Sandshoe — 10" x 10" x 2.00"
10	XB-GRF-022-16	Ftg — Grease .25"-28 Self Tapping	38	LG0051	- 10" x 12" x 2.00"
12	2111100000431	Jack Shaft LH — Universal Mount	38	LG0122	- 12" x 12" x 2.00"
12	2111100000461	- I-Beam Mount — 6.5"	38	LG0056-02	- 10" x 10" x 2.00" HD
12	2111100000471	- I-Beam Mount — 10"	38	LG0055	- 10" x 10" x 4.50"
12	2111100000441	- Conventional Mount	38	LG0050	- 10" x 12" x 4.50"
12	2111100000451	- Reverse Mount	38	LG0065-04	- 12" x 12" x 4.50"
15	2111100000530	Top Cover	38	LG1815-05	- 16" x 16" x 4.50"
16	XB-ST5-008-11	Self-Tapping Screw .25"-20 x .5" Lg	38	LG0055-01	- 10" x 10" x 4.50" HD
17	XB-HHC-050-42	Screw, Hex Cap .38"-16 x 2.25" Lg GR5	38	LG0065	- 10" x 12" x 4.50" HD
18	XB-SLN-012-04	Self-Locking Nut .38"-16 — Sandshoe	38	LG0065-01	- 12" x 12" x 4.50" HD
18	XB-SLN-012-04	- Low Profile RCF	38	LG0065-02	- 12" x 17" x 4.50" HD
19	XB-PW-016-03	Washer .38" Std Type A	39	LG0070-02	Sandshoe Axle — Hollow Axle 8.50" Lg
20	LG2996	Gearbox Half, Outside w/ Hole for Grease Fitting Includes: (1) Idler Shaft Bushing — #34; (2) Boss Bearing — Sealed #35	40	XB-HHC-050-69	Screw, Hex Cap .38"-16 x .75" Lg GR5 Sandshoe
22	LG2980	Output Gear	40	XB-HHC-050-69	Screw, Hex Cap .38"-16 x .75" Lg GR5 Low Profile RCF
23	2111100000481	Jackshaft RH — Universal Mount	41	2034160000150	Cushion Foot Plate
23	2111100000511	- I-Beam Mount — 6.5" Shaft	42	XB-LG0713	Cushion Foot Rubber
23	2111100000521	- I-Beam Mount — 10.0" Shaft	43	XB-HHB-050-58	Bolt — Hex Head .63"-11 x 6.00"
23	2111100000491	- Conventional Mount	44	2034200000170	R.C.F. — 10" x 10"
23	2111100000501	- Reverse Mount	45	XB-SP0012-10	Self-Locking Nut — .63"-11"
24	2040100000060	Gear Drive, High Speed — Machined	46	728003	Cushion Foot Pad — Low Profile R.C.F.
25	2040100000050	Gear Drive, Low Speed — Machined	47	730640	Low Profile R.C.F.
26	XB-GP-052-21	Groove Pin, Type E DIA. — .375 x 2" Type E	48	730638	Interchangeable Strap
			49	XB-SP-014-27	Pin, Spring, .25" DIA. x 1.50"
			51	XB-GP-052-52	Groove Pin, Type E, .31" DIA. x 2.00" LG

ITEM	DESCRIPTION	TRAVEL				
		13.50"	15.50"	17"	17" MRL	19"
2A	Retract Tube — RCF	2111200000130	21112000002490	21112000000510	21112000000160	21112000000170
2B	Retract Tube — Low Profile RCF	21112000002480	21112000002490	21112000002510	21112000002500	21112000002520
2C	Retract Tube — Axle	21112000000230	21112000000240	21112000000250	N/A	21112000000260

LEG SETS

LEG SETS — HOLLAND, continued



Mark V Sets

- Static load capacity 200,000 lb
- Lifting capacity 62,500 lb
- Side load capacity 32,000 lb
- Hardware included for set only

	PN	FOOT	GEAR SIDE LEG	NON-GEAR SIDE LEG	EXTENDED LENGTH	RETRACTED LENGTH	UPPER LEG
	LGS-3A001	16.5" Travel Self Leveling	XA-S8-3A001	XA-S9-3A001	30.80	47.30	26.0
	LGS-3A105	16.5" Travel Standard Skid	XA-S8-3A105	XA-S9-3A105	32.10	48.62	26.0
	LGS-3A113	16.5" Low Profile Skid	XA-S8-3A113	XA-S9-3A113	29.70	46.20	27.8
	LGS-5A105	18.7" Travel Standard Skid	XA-S8-5A105	XA-S9-5A105	33.10	51.80	28.2

Mark V Part Number Coding Guide

Example: LGS-3A105



LGS		3		A		1		05	
	SET/LEG		TRAVEL		MOUNTING		AXLE TYPE		AXLE TYPE
LGS	Set PN	0	12.5"	A	Universal	0	No Axle	01	Self Lever 12" Dia.
XA-S8	Gear Side Leg	1	13.5"	B	Inside Mount	1	Standard Pipe	03	Wheeled 9" Dia.
XA-S9	Slave Side Leg	2	15"	C	Outside Mount	3	Solid Axle	05	Standard Skid Foot 11.5" x 12" x 4.9"
		3	16.5"			3	Sand Shoe 10" x 10" x 2"	08	Large Skid Foot 14" x 19" x 5"
		4	17.6"			4	Sand Shoe 10" x 12" x 2"	09	Wheel & Skid Foot 11.5" x 16" x 1.8"
		5	18.7"			5	Shockfoot 12" Dia.	10	No Footware
						8	Shockfoot 10" Dia.	13	Low Profile Skid Foot 11.5" x 12" x 1.5"
						M	Sand Shoe HD 12" x 12" x 4.5"	15	Weight Saver Skid Foot 10" X 11.5" X 3.8"
								24	Removable Cushion Foot 11.4" x 11.4" x 2.9"

LEG SETS — HOLLAND, continued



Mark V Models — HD Self-Leveling Foot

	PN	EXTENDED LENGTH (A)	RETRACTED LENGTH (B)	UPPER LEG (C)
	LGH-1A012	27.9"	24.5"	13.5"
	LGH-2A012	29.4"	26.0"	15.0"
	LGH-3A012	30.9"	27.1"	16.5"
	LGH-4A012	32.0"	28.2"	17.6"
	LGH-5A012	33.2"	29.6"	18.7"

Mark V Models — HD 12" x 17" Skid Foot




	PN	EXTENDED LENGTH (A)	RETRACTED LENGTH (B)	UPPER LEG (C)
	LGH-1A312	27.9"	24.5"	12.0"
	LGH-2A312	31.2"	26.0"	13.5"
	LGH-3A312	32.3"	27.1"	15.4"
	LGH-4A312	33.4"	28.2"	16.6"
	LGH-5A312	34.8"	29.6"	17.4"

LEG SETS

LEG SETS — HOLLAND, continued



Mark V





LEG SETS — HOLLAND, continued

Mark V

ITEM	PN	DESCRIPTION	ITEM	PN	DESCRIPTION
1	XA-V-06625-A	Shift Shaft RH — Universal	27	XA-CRP-V-06635	Pin — .38" x 2"
1	XA-V-06625-C	- I-Beam	28	XB-V-06632	Washer
1	XA-V-06625-F	- Extended I-Beam	29	XB-V-06630	Bushing
1	XA-V-06625-C	- Conventional	30	XB-V-647	Thrust Bearing
1	XA-V-06625-B	- Reverse	30	XB-V-647-1	Thrust Bearing — Heavy Duty
2	XA-V-06624-A	Jack Shaft RH — Universal	31	XA-V-06629	Collar
2	XA-V-06624-D	- I-Beam	32A	NA	Upper Leg — 1-Speed
2	XA-V-06624-F	- Extended I-Beam	32A	NA	- 1-Speed Heavy Duty (Not Shown)
2	XA-V-06624-C	- Conventional & Reverse	32B	NA	Upper Leg — 2-Speed
3	XA-V-06618	Gearbox Cover Assembly	32B	NA	- 2-Speed Heavy Duty (Not Shown)
4	XB-06372	Thread Rolling Screw	34	LG0050	Skid Foot — 4.5" x 12" x 11.5"
5	XB-V-06621	Gearbox Gasket	34	LG0051	- 2.0" x 12" x 11.5"
6	XA-V-06602	Idler Gear	34	XA-V-796-WS	- 3.8" x 10" x 11.5"
7	XA-V-07085	Idler Gear Shaft	34	LG0056	- 2.0" x 10" x 11.5"
8	XB-BAL-023-01	Ball	34	XA-HV-796	- 4" x 12" x 16"
9	XB-SPG-020-02	Spring	41	XB-767	Lube Fitting
10	XA-V-06604-1	Input Gear — Low	42	XB-01789	Plastic Plug — Models before Feb. 2007
11	XA-CRP-V-06633	Pin — .25" x 1.44"	43	XB-767-L	Lube Fitting w/Extension
12	XB-21-S-218-1500	Spring Pin — .22" x 1.50"	47	XA-V-971	Crankshaft Bracket (Optional)
13	XA-V-06606	Input Gear — High	48	XB-V-1915	Crank Hanger (Optional)
14	XA-V-06603	Output Gear	48	XB-LG0085	Crank Hanger (Optional)
15	XA-CRP-V-06634	Pin — .38" x 1.5"	49	XA-V-1916	Extension Shaft — Long (Optional) — 15.44"
17	XB-V-444-4	HHCS — .38"-16 x 2.00"	49	XA-V-1916-1	- Short (Optional) — 8.94"
18	XB-338	Lock Nut — .38"-16	50	XA-V-630-2	Crankshaft Coupling (Optional)
19	XA-V-06623-A	Jack Shaft LH — Universal	51	RK-V-07781	Drive Gear Shaft Kit — 1-Speed
19	XA-V-06623-D	- I-Beam	52	RK-V-07780	Drive Gear Shaft Kit — 2-Speed
19	XA-V-06623-F	- Extended I-Beam	53	XB-GP-38-138-5	Groove Pin — .38" x 1.38" (Optional)
19	XA-V-06623-C	- Conventional	54	XB-3103	Locknut — .25"-28 (Optional)
19	XA-V-06623-B	- Reverse	55	XB-07618	HHCS — .25"-28 x 3" (Optional)
20	XA-V-06611	Upper Leg Cover	56	XA-V-07601-1	Extension Bracket — Long — 15.56"
21	XB-V-07054	Gasket	56	XA-V-07601-2	- Short — 9.06"
22	XB-GP-38-1-12-E	Groove Pin .38" x 1.50"	57	RK-V-07602-1	Extension Bracket & Shaft Kit — Long-
23	XA-V-06600	Pinion Gear	57	RK-V-07602-2	- Short — 9.06"
25	XA-V-06601	Bevel Gear	58	RK-V-1997-1	Extension Bracket & Shaft Kit — Long-
26A	NA	Inner Leg & Screw Assy. — Axle	58	RK-V-1997-2	- Short — 8.94"
26A	NA	- AXLGHD	59	LG1829	Cushion Foot Plate
26B	NA	Inner Leg & Screw Assy. — Self-Leveling	60	XB-LG0713	Rubber Cushion
26B	NA	- Self-Leveling HD	61	XA-V-796-RCF	Removable Cushion Foot
26C	NA	Inner Leg & Screw Assy. — RCF	62	XB-HHC-050-114	Hex Head Screw — .63"-11 x 6" — GR2
26C	NA	- RCF HD	63	XB-06179-2	Top Lock Nut — .63"-11 — GR.C
26D	NA	Inner Leg & Screw Assy. — Shock Foot	64	RK-11286	Bevel & Pinion Gear Repair Kit
26D	NA	- Shock Foot HD	65	RK-11287	Gear Box Repair Kit

LEG SETS

LEG SETS — JOST



	SET PN*	SAND SHOE	GEAR SIDE LEG	NON-GEAR SIDE LEG	RETRACTED LENGTH	EXTENDED LENGTH	UPPER LEG
OUTSIDE MOUNT LEGS AND SETS							
 A400-T-17	A400-T-17	17" Travel Standard	A400R-T-17	A400L-T-17	48.625	31.625	24.94
	A400-T1-17	17" Travel Low Profile	A400R-T1-17	A400L-T1-17	46.125	29.125	24.94
	A400-T-19	19" Travel Standard	A400R-T-19	A400L-T-19	52.625	33.625	26.94
	A400-T1-19	19" Travel Low Profile	A400R-T1-19	A400L-T1-19	50.125	31.125	26.94
INSIDE MOUNT LEGS AND SETS							
 A401-G3-17	A401-G3-17	17" Cushion	A401R-G3-17	A401L-G3-17	48.625	31.625	24.94
	A401-T-17	17" Travel Standard	A401R-T-17	A401L-T-17	48.625	31.625	24.94
	A401-T1-17	17" Travel Low Profile	A401R-T1-17	A401L-T1-17	46.125	29.125	24.94
	A401-T-19	19" Travel Standard	A401R-T-19	A401L-T-19	52.625	33.625	26.94
	A401-T1-19	19" Travel Low Profile	A401R-T1-19	A401L-T1-19	50.125	31.125	26.94

* Hardware included

Part Number Coding Guide


Example: A400R-T1-17



A	40		0		R		T1		17		*	
MODEL		LUBE		MOUNTING		LEG ASSY.		FOOTWARE		TRAVEL		OPTIONS
	40	Standard	0	Outside	L	Leave Blank for Set	G	Cushion Foot 10" x 10"	14	14"	1	Brace Ears Welded to Upper Leg
	44	Magnum	1	Inside	R	Gear Side	G1	Cushion Foot 12" x 12"	17	17"	5	Removable Crank
			OU	Universal	L	Slave Side	G3	Low Profile Cushion Foot 10" x 10"	19	19"	08	65° Angle Grease Fitting
							G1	Disc Wheels 9" 3rd			14	Gear Box Full of Low Temp Grease With Seals
							T	Sand Shoe 10" x 10" x 4.5"			38	Removable Cushion Foot for G And G3
							T1	Sand Shoe 10" x 10" x 2"			45	Seals on all Shafts
							T2	Sand Shoe 10" x 12" x 4.5"				
							T3	Sand Shoe 10" x 12" x 2"				
							NA	No Footware				

* Blank for Standard

LEG SETS — JOST, continued



TECH TIPS

To ensure proper **MAINTENANCE** of the landing gear, it is recommended to perform the following:

- **LUBRICATE AT LEAST EVERY THREE MONTHS** and more frequently in applications where the landing gear are exposed to excessive moisture (liquid salt water spray), dust, or if they are not used for extended periods. Lubricate with the trailer securely coupled to a tractor.
- Employ a lubricant compatible with the original type of grease used: Standard – Lithium base 1-2% Moly EP-2 Low temperature – Arctic-grade, all weather white grease
- **INSPECT ALIGNMENT:** Using a square, check that both landing gear legs are square with the trailer and parallel with each. Bent or damaged legs are an indication of possible damage to the lift screw, lift nut or other internal components and should be replaced.
- **INSPECT HARDWARE:**
 - Tighten or replace mounting bolts as necessary.
 - Inspect the mounting bracket for cracks or other signs of damage.
 - Repair or replace any broken or damaged parts of the landing gear assembly or mounting structure.
 - Inspect the crank handle bolt and lock nut. Tighten or replace as necessary (the crank handle bolt must be loose enough to allow free engagement).
 - Cross shaft connection bolts and lock nuts should be secure, but allow side-to-side play in the cross shaft.
 - Check for proper crank shaft engagement in both high and low gear.
 - Landing gear with excessive play should be rebuilt or replaced.

LEG SETS

LEG SETS — JOST, continued










Inside & Outside Mounts



ITEM	PN	QTY	DESCRIPTION	ITEM	PN	QTY	DESCRIPTION
1	D10201-1	1	Outside Mount, Two Speed Upper Housing, 14" Travel	9	C10263	2	Brace Lug-90
1	D10201-2	1	Outside Mount, Two Speed Upper Housing, 17" Travel	10	C10108	2	Brace Lug w/ Bracket
1	D10201-3	1	Outside Mount, Two Speed Upper Housing, 19" Travel	11	C10066	1	Intermediate Cross Shaft
1	D10298-1	1	Inside Mount, Two Speed Upper Housing, 14" Travel	12	A10059-1	4	Cover Screw
1	D10298-2	1	Inside Mount, Two Speed Upper Housing, 17" Travel	13	C10217	1	Cover-Two Speed
1	D10298-3	1	Inside Mount, Two Speed Upper Housing, 19" Travel	14	C10259	1	Cover-Single Speed
2	D10116-1	1	Outside Mount, Single Speed Upper Housing, 14" Travel	15	C10177	1	Pinion Gear
2	D10116-2	1	Outside Mount, Single Speed Upper Housing, 17" Travel	16	C10155	2	Bevel Gear
2	D10116-3	1	Outside Mount, Single Speed Upper Housing, 19" Travel	17	B10130	1	Pinion Shaft-Singe Speed
2	D10299-1	1	Inside Mount, Single Speed Upper Housing, 14" Travel	18	A10102	2	Thrust Washer
2	D10299-2	1	Inside Mount, Single Speed Upper Housing, 17" Travel	19	A10052-3	2	Grooved Pin
2	D10299-3	1	Inside Mount, Single Speed Upper Housing, 19" Travel	20	A10218	2	Spacer Washer
3	C10140-1	1	Lower Leg Assembly, For Sand Shoe, 14" Travel	21	A10040	4	Grease Fitting
3	C10140-2	1	Lower Leg Assembly, For Sand Shoe, 17" Travel	22	A10283*	1	Grease Seal
3	C10140-3	1	Lower Leg Assembly, For Sand Shoe, 19" Travel	23	C10209	4	Strut Brace (Not Shown)
4	C10146-1	1	" G" Lower Leg Assembly, 10" Cushion Foot, 14" Travel	24	A10038-7	4	Self Locking Nut
4	C10146-2	1	" G" Lower Leg Assembly, 10" Cushion Foot, 17" Travel	25	A10037-1	2	Cross Shaft Bolt 3/8"-16 x 2" Grade 5
4	C10146-3	1	" G" Lower Leg Assembly, 10" Cushion Foot, 19" Travel	26	A10033	2	Thrust Washer
5	C10254-1	1	" G1" Lower Leg Assembly, 12" Cushion Foot, 14" Travel	27	A10101	2	Collar
5	C10254-2	1	" G1" Lower Leg Assembly, 12" Cushion Foot, 17" Travel	28	A10212	1	Output Shaft
5	C10254-3	1	" G1" Lower Leg Assembly, 12" Cushion Foot, 19" Travel	30	A10255	5	Bushing
6	C10580-1	1	" G3" Lower Leg Assembly, Low Profile Cushion, 14"	33	A10054-3	1	Roll-Pin 3/8" x 11/2"
6	C10580-2	1	" G3" Lower Leg Assembly, Low Profile Cushion 17" Travel	34	A10260-1	2	Spiral Pin
6	C10580-3	1	" G3" Lower Leg Assembly, Low Profile Cushion 19" Travel	35	A10054-7	1	Roll-Pin 3/8" x 13/4"
7	B10261	1	Crank Hanger	36	B10236	1	Output Cluster Shaft
8	C10262	2	Brace Lug-Flat	37	C10234	1	Output Cluster Gear
				38	C10233*	1	Input Gear Shaft
				39	C10078	1	Output Spur Gear
				40	C10085	1	Input Spur Gear
				41	A10049*	1	Detent Spring
				42	A10048*	2	Detent Ball
				43	B11139*	1	Shift Housing
				44	A10230	4	Shift Housing Bolt
				45	A10038-6	4	Self Locking Nut
				46	C10035	2	" T" Sand Shoe 10" x 10" x 41/2"
				46	C10135	2	" T1" Sand Shoe 10" x 10" x 2"
				46	C10256	2	" T2" Sand Shoe 10" x 12" x 41/2"
				46	C10257	2	" T3" Sand Shoe 10" x 12" x 2"
				47	B10036	2	Shoe Axle
				48	A10037-3	2	Hex Head Bolt
				49	A10054-6	1	Roll-Pin-1/4" x 11/4"
				50	C10592-2	1	Standard Crank W/Hardware

* Included with B10285 shift shaft assembly

SAND SHOES — PRIMER FINISH


	PN	PENZ	DESCRIPTION	WEIGHT
   1001-1291	1001-1291	05-300	Standard 10" x 10"	10.36 lb
   1001-1295	1001-1295	05-310	Low Profile 10" x 10" w/ Patch	8.44 lb
   1001-2026	1001-2026	05-336	Low Profile 12" x 12" w/ Patch	15.60 lb

SAND SHOE AXLES — PRIMER FINISH


	PN	PENZ	DESCRIPTION	MATERIAL	WEIGHT
  1002-1407-KIT	1002-1407-KIT	06-410	Axle Assembly (Standard) w/ Welded Cap	1-1/2" SCH 40 Tube	1.98 lb
  1002-1303-KIT	1002-1303-KIT	06-411	Axle Assembly (Heavy Duty) w/ Welded Cap	1-1/2" SCH 80 Tube	2.20 lb

LANDING GEAR CRANK HANDLES

HORIZONTAL CRANK HANDLES



	PN	PENZ	DESCRIPTION
 03-211-H	1003-1695	03-207-H	7" *
 7" PN 1003-1695 11" PN 1003-1296 15" PN 1003-1297 21" PN 1003-1298 1 3/8" CLEARANCE FOR 1" DIA TURNING SHAFTS 1 1/4" O.D. X 14 GA. TUBING 2 5/8" 1 1/4" 1 13/16" 1 3/4" 7/16" 3 3/4" 7 1/2" 13"	1003-1296	03-211-H	11" *
	1003-1297	03-215-H	15" *
	1003-1298	03-221-H	21" *

VERTICAL CRANK HANDLES


	PN	PENZ	DESCRIPTION
 03-207-V	1003-1664	03-207-V	7" *
 7" PN 1003-1664 11" PN 1003-1365 15" PN 1003-1366 21" PN 1003-1367 1 3/8" CLEARANCE FOR 1" DIA TURNING SHAFTS 1 1/4" O.D. X 14 GA. TUBING 2 5/8" 1 1/4" 1 13/16" 1 3/4" 7/16" 3 3/4" 7 1/2" 13"	1003-1365	03-211-V	11" *
	1003-1366	03-215-V	15" *
	1003-1367	03-221-V	21" *

* Approximate Length

SHAFTS — 14 GA TUBE, PRIMER FINISH

APPLICATION	PN	PENZ	DESCRIPTION	WEIGHT
 LG0094-6900	LG0094-6900	04-652-69	69"	5.25 lb
	CRANK HANDLE CROSS			
 1005-1478	1005-1478	04-552-X	Adjustable, 3 pieces	6.5 lb
	TURNING			

MOUNTING LUGS — PRIMER FINISH, 3/8" STEEL








PN	PENZ	WEIGHT
50618018	02-14-A	1.35 lb
50618020	02-15-A	1.5 lb
50618022	02-12-A	1.5 lb
50618023	02-13-A	0.9 lb

LANDING GEAR WING PLATES

WING PLATES — FABRICATED STEEL, PRIMER FINISH

APPLICATION	PN	PENZ	OEM	DESCRIPTION
GREAT DANE — 7 GA, 31.7 LB				
	1007-1779-CS			
	1007-1779-CS	02-07-CS	13646	Curbside
	1007-1779-RS			
	1007-1779-RS	02-07-RS	13647	Roadside
MILLER — 7 GA, 31.7 LB				
	1007-1606			
	1007-1606	02-30	N/A	Universal
MONON — 7 GA, 27.9 LB				
	1007-2665-CS			
	1007-2665-CS	02-41-CS	V09-189A-CS	Curbside
	1007-2665-RS			
	1007-2665-RS	02-41-RS	V09-189A-RS	Roadside
PINES — 10 GA, 33 LB				
	1007-1781-CS			
	1007-1781-CS	02-36-CS	PILGB1315R	Curbside
	1007-1781-RS			
	1007-1781-RS	02-36-RS	PILGB1315L	Roadside

WING PLATES — FABRICATED STEEL, PRIMER FINISH

APPLICATION	PN	PENZ	OEM	DESCRIPTION
TRAILMOBILE — 7 GA, 39.7 LB				
    	1007-1607-CS			
	1007-1607-CS	02-02-CS	4-A1-224R	Curbside
	1007-1607-RS			
	1007-1607-RS	02-02-RS	4-A1-224L	Roadside
	1007-1590			
	1007-1590	02-01	4-A1-223	Universal
UTILITY — 1/8" THICK, 25.95 LB				
	1007-2998-CS	N/A	3-1103-078	Curbside
	1007-2998-RS			
	1007-2998-RS	N/A	3-1103-077	Roadside
WABASH — 7 GA, 21.5 LB				
	1007-1780-CS			
	1007-1780CS	02-34-CS	3-0100-047	Curbside
	1007-1780-RS			
	1007-1780-RS	02-34-RS	3-0100-048	Roadside

ELI-te™ FIFTH WHEEL COUPLING ASSISTANT



SAF-HOLLAND – the world's leader in fifth wheel innovation, introduces the ELI-te™ Fifth Wheel Coupling Assistant.


Designed for Safety Minded Fleets

- A failed coupling attempt triggers flashing red warning lights, alerting drivers to hazards before they happen.
- A successful coupling turns on high-intensity inspection lamps in the fifth wheel throat, making lock inspection easier and more reliable.

The HOLLAND ELI-te™ Fifth Wheel Coupling Assistant helps drivers GET IT RIGHT.



Easily Retrofitted to the FW35 Series



FAILED MODE
Red Flashing Warning Lights

SUCCESS MODE
Bright Lock Inspection Lights

PART NUMBER	DESCRIPTION	Robust Electrical Components: Sealed One-Piece Harness, Long Life LED Lights, Durable Sensors, Steel Encased Logic Module and Power Cable with Connector. 
RK-12131	Full Retrofit Kit For Pre-Drilled Top Plate*	
RK-12015	Tractor Power Cable Kit (Class 8 Truck Applications Only)	
RK-12117	Dolly Power Cable Kit (Dolly Applications Only)	
RK-12119	Slider Coiled Power Cable Kit – 12”To 48” Length (Slider Applications Only)	
* NOTE: When ordering a full retrofit kit for a non-drilled top plate, be sure to order Drilling Tool Kit RK-12116, and the appropriate power cable for your application.		
RK-12116	Drilling Tool Kit for Retrofit – Drill Template, Lock Pin Jig, Drill Bits, Taps, Instructions	
XA-351-A-1L-L-P	FW35 Top PLATE Equipped with ELI-te™	
XA-331-A-1L-L-P	FW33 Top Plate Equipped with ELI-te™	
XA-311-A-1L-L-P	FW31 Top Plate Equipped with ELI-te™	

NOTE: Contact your sales representative for additional top plates equipped with ELI-te™

Follow us on





TOP PLATES — SAF HOLLAND®

	PN	MAXIMUM VERTICAL LOAD	MAXIMUM DRAWBAR PULL	PART OF FW SERIES
 XA-S1-A-L-P	XA-S1-A-L-P	50,000 lb	150,000 lb	FWS1 (Simplex)
 XA-351-A-L-P	XA-351-A-L-P (LH) XA-351-A-P (RH)	55,000 lb	150,000 lb	FW35
 XA-331-A-L-P	XA-331-A-L-P (LH) XA-331-A-P (RH)	55,000 lb	150,000 lb	FW33 (Low Lube)
 XA-311-A-L-P	XA-311-A-L-P (LH) XA-311-A-P (RH)	55,000 lb	150,000 lb	FW31 (No Lube)
 XA-AL-A-L-P	XA-AL-A-L-P (LH)	55,000 lb	150,000 lb	FWAL (Low Lube / Aluminum)
 XA-71-DAP	XA-71-DAP* XA-71-QAP**	70,000 lb	200,000 lb	FW0070 (Heavy Duty)
 XA-17-A-L-P	XA-17-A-L-P	50,000 lb	150,000 lb	FW17
 XA-201-A	XA-201-A-L-P (LH) XA-201-A-P (RH)	50,000 lb	150,000 lb	FW8

FIFTH WHEEL REBUILD KITS



REBUILD AND REPAIR KITS — OTR™

- Superior corrosion protection with cataphoretic paint (E-coat KTL)
- More durable because of high quality materials and surface treatment

	REBUILD KIT PN	DESCRIPTION	PART OF FW SERIES
 OTR-RK-351-A-L	OTR-RK-351-A-L	Major rebuild for Holland, complete repair kit - left hand	FW35
 OTR-RK-351-03505	OTR-RK-351-03505	Major rebuild for Holland, yard tractor	
 OTR-KIT-RX-67NTL	OTR-KIT-RX-67NTL	Major rebuild for Fontaine, complete repair kit - left hand	6000 & 7000
 OTR-KIT-RPR-6000L	OTR-KIT-RPR-6000L	Minor repair kit for Fontaine	6000 & 7000
 OTR-SK-73221-50Z	OTR-SK-73221-50Z	Minor repair kit for Jost	36 & 37
 OTR-RK-06973-1	OTR-RK-06973-1	Pin and bushing kit for Holland	
 OTR-KIT-PIN-LLB	OTR-KIT-PIN-LLB	Pin and bushing kit for Fontaine	
 OTR-SK-75014-01	OTR-SK-75014-01	Pin and bushing kit for Jost	

TRUCKING IS OUR BUSINESS™



OTR™ is dedicated to providing the highest quality heavy-duty parts on or off road. Extensive customer research, independent testing, and product development go into each of our parts to ensure they keep your drivers safe and your trucks on the road.



Air Brake Systems • A/C • Air Intake & Exhaust • Brakes
Cab • Chrome • Cooling System • Electrical • Filtration
Hydraulics • Lighting • Lubrication • Powertrain • Starters
Alternators • Steering • Suspension • Tools • Wheel End

OTR™
EXPERTISE BUILT-IN

QUALITY • INNOVATION • DURABILITY

FIFTH WHEEL REBUILD KITS

REBUILD KITS — SAF HOLLAND®



	REBUILD KIT PN	DESCRIPTION	PART OF FW SERIES
 RK-FWS-A-L	RK-FWS-A-L	Includes Jaw Kit, Bracket Connection Kit	FWS1 (Simplex)
 RK351-A-L (Uses RK331-A-L and RK311-A-L w/ Lube Plates as Listed)	RK-351-A-L (LH) RK-351-A (RH)	Includes Jaw Kit, Handle Kit, Bracket Connection Kit	FW35
	RK-331-A-L (LH) RK-331-A (RH)	Includes Jaw Kit, Handle Kit, Lube Plate & Pocket Inserts	FW33 (No Lube) RK-AL-1
	RK-311-A-L (LH) RK-311-A (RH)	Includes Jaw Kit, Handle Kit, Lube Plate & Pocket Inserts	FW31 (Low Lube) RK-331-3
 RK-AL-A-L	RK-AL-A-L	Includes Jaw Kit, Handle Kit, Lube Plate & Pocket Inserts	FWAL (Low Lube / Aluminum) w/ RK-AL-1
 RK-65014	RK-65014* RK-65015**	9" Mount Height / Includes Jaw Kit, Handles Set, Bracket Connection Pins & Bushings	FW0070 (Heavy Duty)
	RK-65014-1* RK-65015-1**	8" Mount Height / Includes Jaw Kit, Handles, Bracket Connection Pins & Bushings	
 RK-17-A-L	RK-17-A-L	Includes Jaw Kit, Handle Kit, Bracket Connection Kit	FW17
 RK-201-A3-L	RK-201-A3-L (LH)*** RK-201-A3 (RH)***	Includes Handle Kit, Bracket Connection Kit	FW8

* 2" KINGPIN ** 3.5" KINGPIN *** For fifth wheels manufactured prior to 1999, add Wedge Kit RK-09590-W

REPAIR KITS — SAF HOLLAND®



	PART OF FW SERIES	JAW KIT PN	HANDLE KIT PN	BRACKET CONNECTION KIT PN
RK-4109939 RK-06973-1 RK-10605	FWS1 (Simplex)	RK-4109939	—	RK-06973-1 Traditional Slider & Integrated Plate Mount RK-10605 ILS Slider & Stationary
RK-351-07296 RK-08415-1	FW35	RK-351-07296	RK-08415-1	RK-06973-1 Traditional Slider & Integrated Plate Mount RK-10605 ILS Slider & Stationary
RK-65024 XA-1117-4 XA-03715 XB-0012-3 XE-02759	FW0070 (Heavy Duty)	RK-65024* RK-65024-1**	XA-1117-4 (9" Mount Set) XA-03715 (8" Mount)	XE-02759 (Pins) XB-0012-3 (Bushings)
RK-171-11079 RK-171-11078	FW17	RK-171-11078	RK-171-11079	RK-06973-1 Traditional Slider & Integrated Plate Mount RK-10605 ILS Slider & Stationary
RK-09557	FW8	—	RK-09557 (LH) RK-09556 (RH)	RK-06973-1 Traditional Slider & Integrated Plate Mount RK-10605 ILS Slider & Stationary

* 2" KINGPIN ** 3.5" KINGPIN

FIFTH WHEEL REPAIR KITS

REPAIR KITS — SAF HOLLAND®, continued



	PART OF FW SERIES	JAW KIT PN	HANDLE KIT PN	LUBE PLATE & POCKET INSERTS PN
 RK-351-07296 RK-08415-1 RK-331-3	FW33	RK-351-07296	RK-08415-1	RK-331-3 Kit RK-PKT-2 Pocket Inserts RK-331-1 Lube Plates
 RK-311-LK RK-311-10344	FW31	RK-311-LK	RK-311-10344	RK-331-3 Kit RK-PKT-2 Pocket Inserts RK-331-1 Lube Plates
 RK-AL-11078 RK-10495-ALP RK-AL-1	FWAL	RK-AL-11078	RK-10495-AL-P	RK-AL-1 Kit RK-PKT-3 Pocket Inserts RK-331-3 Lube Plates

MOUNTING BRACKET CONNECTION KITS — SAF HOLLAND®



	PN	DESCRIPTION	PART OF FW SERIES
FOR TRADITIONAL SLIDER & STATIONARY			
 RK-06973-1	RK-06973-1	Bracket Connection Kit	FW33 FW31 FWAL
FOR ILS SLIDER & STATIONARY			
 RK-10605	RK-10605	Bracket Connection Kit	FW33 FW31 FWAL

TERMINAL TRACTOR REBUILD KITS — SAF HOLLAND®

w/ Stainless Steel Air Cylinder



ASSEMBLY PN	TOP PLATE PN (INCLUDES BRACKET PINS & BUSHINGS)	REBUILD KIT PN (w/ ALUMINUM CYLINDER)	AIR CYLINDER PN (STAINLESS STEEL)	BRACKET PN (NOT BUSHED, ORDER BUSHING SEPARATELY)	HEIGHT
FW35-03344	XA-351-03505-P	RK-351-03505	XA-2524-R-13-1	XA-02763	7.5"
FW35-03344-1				XA-03573	10.0"
FW35-03344-2*	XA-351-03505-2-P			XA-02763	7.5"
FW35-03344-3*				XA-03573	10.0"
FW35-03344-4	XA-351-03505-3-P	RK-351-03505-3	XA-2524-R-13-3	XA-02763	7.5"
FW35-03344-6*	XA-351-03505-2-P	RK-351-03505	XA-2524-R-13-1	XA-02763	7.5"
FW35-03344-7	XA-351-03505-P			XA-03573-1	8.5"
FW35-03344-8*	XA-351-03505-2-P			XA-03573-1	8.5"
FW35-03344-9	XA-351-03505-3-P	RK-351-03505-3	XA-2524-R-13-3	XA-02763	7.5"
FW35-03344-10	XA-351-03505-3-P			XA-0357	10.0"


w/ Aluminum Air Cylinder



ASSEMBLY PN	TOP PLATE PN (INCLUDES BRACKET PINS & BUSHINGS)	REBUILD KIT PN (w/ ALUMINUM CYLINDER)	AIR CYLINDER PN (ALUMINUM)	BRACKET PN (NOT BUSHED, ORDER BUSHING SEPARATELY)	HEIGHT
FW35-03344	XA-351-03505-P	RK-351-03505-1	XA-11702	XA-02763	7.5"
FW35-03344-1	XA-351-03505-P	RK-351-03505-1	XA-11702	XA-03573	10.0"
FW35-03344-2*	XA-351-03505-2-P	RK-351-03505-1	XA-11702	XA-02763	7.5"
FW35-03344-3*	XA-351-03505-2-P	RK-351-03505-1	XA-11702	XA-03573	10.0"
FW35-03344-4	XA-351-03505-3-P	RK-351-03505-3-1	XA-11704	XA-02763	7.5"
FW35-03344-5	XA-351-03505-4-P	RK-351-03505-4-1	XA-11703	XA-02763	7.5"
FW35-03344-6	XA-351-03505-2-P	RK-351-03505-1	XA-11702	XA-02763	7.5"
FW35-03344-7	XA-351-03505-P	RK-351-03505-1	XA-11702	XA-03573-1	8.5"
FW35-03344-8*	XA-351-03505-2-P	RK-351-03505-1	XA-11702	XA-03573-1	8.5"
FW35-03344-9	XA-351-03505-3-P	RK-351-03505-3-1	XA-11704	XA-02763	7.5"
FW35-03344-10	XA-351-03505-3-P	RK-351-03505-3-1	XA-11704	XA-0357	10.0"

* Drilled/Auto Lube

- For all terminal tractor models use Jaw Kit RK351-08332-1, Bracket Connection Kit RK-04413-1, Bushings XB-0011
- For air cylinders, note air inlet and port locations as follows for proper cylinder selection:



Stainless Steel
Aluminum


XA-2524-R-13-1
XA-11702

XA-2524-R-13-2
XA-11703

XA-2524-R-13-3
XA-11704


FIFTH WHEEL ASSEMBLY

FIFTH WHEEL ASSEMBLY PART NUMBER GUIDE — SAF HOLLAND®



COMPLETE FONTAINE® FIFTH WHEEL ASSEMBLY

Get a complete No-Slack® fifth wheel assembly for the price of a top plate



SL7LWB675024
Part Number shown

We make it **EASY** at the Fontaine Conversion Center:

www.fifthwheel.com/convert

Part Number	Height	Travel
Standard-duty NT Series stamped steel top plate		
SLNTLW0675012	6.75	12
SLNTLW0675024	6.75	24
SLNTLW0775012	7.75	12
SLNTLW0775024	7.75	24
Moderate-duty 7000 Series cast steel top plate		
SL7LWB675024	6.75	24
SL7LWB725024	7.25	24
Heavy-duty H7 Series cast steel top plate		
SLH7AWB875024	8.75	24

Each complete assembly includes top-plate, air slide bracket and slide rail. Easily bolts to existing outboard angles for a quick, easy conversion.



Check out the app. We make it **EASY.**

5 NEW
YEAR
WARRANTY

FIFTH WHEEL TOP PLATES & REBUILD KITS

TOP PLATES — FONTAINE®



	PN	MAXIMUM VERTICAL LOAD	MAXIMUM DRAWBAR PULL	SERIES
 SLTPL6000	SLTPL6000 (L) SRTPL6000 (R)	50,000 lb	150,000 lb	No-Slack® 6000 Series
 SLTPL7000	SLTPL7000 (L) SRTPL7000 (R) AATPL7000 (L) (Air Actuated)	55,000 lb	150,000 lb	No-Slack® 7000 Series
 SLTPL7000CC	SLTPL7000CC (L) AATPL7000CC (L) (Air Actuated)	55,000 lb	150,000 lb	No-Slack® 7000CC Series Clean Connect™
 SLTPLH7	SLTPLH7	AWB Mounts 62,500 lb	AWB Mounts 150,000 lb	No-Slack® H7 Heavy Duty Series
		PS5 & AWX Mounts 70,000 lb	PS5 & AWX Mounts 200,000 lb	
 SLTPLUNT	SLTPLUNT (L) SRTPLUNT (R)	50,000 lb	150,000 lb	Replaces 3000 Series

REBUILD KITS — FONTAINE®



	PN	DESCRIPTION	SERIES
 KIT-RX-67NTL	KIT-RX-67NTL	- Major rebuild kit for left side (driver) handle release NT/6000/7000/7000CC/ H7 top plates - Kit does not include bracket pins, bushings or Clean Connect plate kits	7 kits combined in 1 saves you money - Parts are arranged in the sequence you need them - Complete instructions and link to video to make rebuild easy - Keep all the benefits of No-Slack® II technology
 KIT-RX-3000L	KIT-RX-3000L	- Pivot Pin (2) - Hex Socket Button Head Screw, M12X25MM (4) - Flat Washer, M12 (4) - Wear Ring (1) - Cotter Pin (4) - Security Clip (1) - Adjustment Rod (1) - Adjustment Rod Nut, M16 Square (1)	- Main Spring (1) - Hex Head Bolt, M16 X 45MM (1) - Pull Handle (1) - Rotating Locking Jaw (1) - Jaw Spring (1) - Washer, 3/4" (2) - Operating Handle (1) - Nylok Nut, M16 (1) - Locking Wedge (1)



REPAIR KITS — FONTAINE®

No-Slack® Series 6000 / 7000 / 7000CC / NT / H7

	PN	DESCRIPTION
 KIT-RPR-6000L	REPAIR KIT	
	KIT-RPR-6000L KIT-RPR-6000R	- Bumper Spring (1) - Handle Spring (1) - Timer Spring (1) - Step Jaw (1) - Wedge (1) - Bushing, 7/16" (1) - Bushing, 5/16" (1) - Bushing, 1-1/4" (1) - Hex Lock Nut, 1/2"-13 (3)
 KIT-LAT-6000L	SECONDARY LOCK KIT	
	KIT-LAT-6000L KIT-LAT-6000R	- Handle Spring (1) - Hex Head Bolt, 1/2"-13 (1) - Flat Washer, 1/2" ID (2) - Bushing, 7/16" (1) - Secondary Lock (1) - Hex Lock Nut, 1/2"-13 (1) - Cotter Pin, 3/16" x 1" (1)
 KIT-PUL-6000L KIT-PUL-H7	PULL HANDLE KIT	
	KIT-PUL-6000L KIT-PUL-6000R	- Pull Handle (1) - Flat Washer, 1/2" ID (1) - Cotter Pin, 3/16" x 1" (1)
 KIT-TMR-6000L	TIMER KIT	
	KIT-TMR-6000L KIT-TMR-6000R	- Timer Spring (1) - Timer (1) - Hex Lock Nut, 1/2"-13 (1) - Hair Pin Cotter (1)
 KIT-ROD-1108	WEDGE-STOP ROD KIT	
	KIT-ROD-1108	- Wedge-Stop Rod Nut (1) - Flat Washer, 5/8" ID (2) - Wedge-Stop Rod Spring (1) - Wedge-Stop Rod (1) - Cotter Pin, 3/16" x 1" (1)
 KIT-SPRING	SPRING KIT	
	KIT-SPRING	- Bumper Spring (1) - Handle Spring (1) - Timer Spring (1)
 KIT-BPR-6000L	BUMPER KIT	
	KIT-BPR-6000L KIT-BPR-6000R	- Hex Lock Nut, 1/2"-13 (1) - Flat Washer, 1/2" ID (2) - Bushing (1) - Hex Head Bolt, 1/2"-13 (1) - Bumper (1) - Bumper Spring (1)
 KIT-OPR-6000	OPERATING HANDLE KIT	
	KIT-OPR-6000	- Bushing, 7/16" (1) - Bushing, 5/16" (1) - Bushing, 1 1/4" (1) - Hex Lock Nut, 1/2"-13 (3) - Flat Washer, 1/2" ID (2) - Hex Head Bolt, 1/2"-13 (1) - Operating Handle (1) - Hair Pin Cotter (1)
 KIT-OPR-H7	OPERATING HANDLE KIT	
	KIT-OPR-H7	- Bushing, 7/16" (1) - Bushing, 5/16" (1) - Bushing, 9/16" (1) - Hex Lock Nut, 1/2"-13 (3) - Flat Washer, 1/2" ID (2) - Hex Head Bolt, 1/2"-13 (1) - Heavy Duty Operating Handle (1) - Hair Pin Cotter (1)

FIFTH WHEEL REPAIR KITS




KIT OPTIONS — FONTAINE®

	PN	DESCRIPTION
WEDGE STOP ROD NUT KIT		
 NUT-319	NUT-319	Wedge Stop Rod Nuts (10)
TIMER SPRING KIT		
 CD-SPR-236	CD-SPR-236	Timer Springs (6)
7000CC KIT OPTIONS		
 CCR-PLATES-L/R	CCR-PLATES-L (L) CCR-PLATES-R (R)	Clean Connect Plate Kit - CC Plate (1) - Flat Washers (7) - Hex Lock Nuts (7)
 KIT-AA-6000L	KIT-AA-6000L (L) KIT-AA-6000LR (R)	- Air Actuated Kit - Hex Head Bolt (1) - Hex Lock Nut (1) - Air Cylinder (1) - Mini-Matic Jumbo Exhaust Valve (VLV-254) (1) - Hex Lock Nut (1) - Flat Washer (1) - Shoulder Bolt (1) - Springs (2)
Note: This kit includes the parts mounted to the fifth wheel. If you are upgrading from manual to air actuated you will also need KIT-AIR-DASH which includes the parts required to complete the in-dash installation.		
IN-DASH INSTALLATION		
 KIT-AIR-Dash	KIT-AIR-DASH	Kit to complete the in-dash installation
 KIT-AIR-COIL	KIT-AIR-COIL	Parts required to connect the air actuated fifth wheel or fifth wheel air sliders to the air system
 VLV-PUL	VLV-PUL	Pull valve used in dash
TEST KINGPIN		
 KITKPT	KITKPT	Test kingpin used for jaw and wedge adjustment



PIN / BUSHING KITS — FONTAINE®

	PN	DESCRIPTION
BRACKET PIN KITS		
 KIT-PIN-LLB	KIT-PIN-LLB	• 2-Piece Bushing (2 Pairs) • Bracket Pins (2) • Bracket Retainer Pins (2) • Cotter Pins (2) • Bracket Liners (2)
 KIT-PIN-191	KIT-PIN-191	• 1-Piece Bushings (2) • Bracket Pins (2) • Bracket Retainer Pins (2) • Cotter Pins (2)
 KIT-PIN-UNT	KIT-PIN-UNT	• 1-Piece Bushings (2) • Bracket Pins (2) • Bracket Retainer Pins (2) • Cotter Pins (2) • Bracket Liners (2)
 KIT-PIN-3000	KIT-PIN-3000	• 1-Piece Bushings (2) • Bracket Pins (2) • Bracket Retainer Pins (2) • Cotter Pins (2) • Bracket Liners (2)
BUSHING KITS		
 BSH-LLB	BSH-LLB	• 2-Piece Bushing (2 Pairs) • Bracket Liners (2)
 BSH-3000	BSH-3000	• 1-Piece Bushings (2) • Bracket Liners (2)
 BSH-150	BSH-150	• 1-Piece Bushings (2)
PIN / BUSHING KITS		
 KIT-PIN-191	KIT-PIN-191	Mounts 6000, 7000, 7000CC on AWB, MWS, PSA and FMA brackets
 KIT-PIN-LLB	KIT-PIN-LLB	Mounts 6000, 7000, 7000CC on LWB, MTB, ATB, PMA, BSL, PML brackets
 KIT-PIN-UNT	KIT-PIN-UNT	Mounts NT top plate or NT, 3000 and 4000 mounts on LWO and APB brackets

FIFTH WHEEL PIN / BUSHING KITS

PIN / BUSHING KITS GUIDE — FONTAINE®



TOP PLATE MOUNT	TOP PLATE	BRACKET PIN KIT	BUSING KIT
SLIDING BRACKETS			
ATB	6000, 7000, 7000CC	KIT-PIN-LLB	BSH-LLB
AWB	7000, H5092, H7	KIT-PIN-191	BSH-150
AWB Blocked BLAWB	7000, H5092, H7	KIT-PIN-191	BSH-150
AWX	H5092, H7	KIT-PIN-XHD	BSH-150
LWB	6000, 7000, 7000CC	KIT-PIN-LLB	BSH-LLB
LWO	NT, 3000	KIT-PIN-UNT*	BSH-3000
MTB	6000, 7000, 7000CC	KIT-PIN-LLB	BSH-LLB
MWS	H5092, H7	KIT-PIN-191	BSH-150
NWB	6000	KIT-PIN-LLB	BSH-LLB
XPSA	X5092	KIT-PIN-XHD	BSH-150
ASB	NT, 3000	KIT-PIN-3000	BSH-3000
FIXED MOUNT / PLATE MOUNT			
APB	NT, 3000	KIT-PIN-UNT*	BSH-3000
BSL	6000, 7000, 7000CC	KIT-PIN-LLB	BSH-LLB
BSM	6000, 7000, 7000CC	KIT-PIN-LLB	BSH-LLB
FMA	6000, 7000, 7000CC	KIT-PIN-191	BSH-150
FMA	D3 6000, 7000, 7000CC	KIT-PIN-191	BSH-150
PMA	6000, 7000, 7000CC	KIT-PIN-LLB	BSH-LLB
PML	6000, 7000, 7000CC	KIT-PIN-LLB	BSH-LLB
PSA	H5092, H7	KIT-PIN-191	BSH-150
PS5	H5092, H7	KIT-PIN-191	BSH-150
PS5 Blocked(BLPS5)	H5092, H7	KIT-PIN-191	BSH-150
SMB	NT, 3000	KIT-PIN-UNT*	BSH-3000
XPSA	X5092	KIT-PIN-XHD	BSH-150

*If 3000 Series top plate on the bracket or slide, use KIT-PIN-3000.




NO-SLACK® II NT/6000/7000/7000CC SERIES PIN / BUSHING — FONTAINE®

PN	DESCRIPTION
PIN AND BUSHING KITS	

KIT-PIN-191 Designed to mount 6000, 7000, 7000CC on AWB, MWS, PSA and FMA brackets



KIT-PIN-LLB Designed to mount 6000, 7000, 7000CC on LWB, MTB, ATB, PMA, BSL, PML



KIT-PIN-UNT Designed to mount NT top plate or NT, 3000 and 4000 mounts LWO and APB brackets



FIFTH WHEEL TOP PLATES

TOP PLATES — JOST®



	PN	MAXIMUM VERTICAL LOAD	MAXIMUM DRAWBAR PULL	SERIES
OEM TOP PLATES				
 JSK37USL				
 JSK37USA	JSK37USL (Standard) JSK37USA (Air Release) JSK37UWL (Low Lube)	50,000 lb	150,000 lb	JSK37U
 JSK37UWL				
 JSK36NSL	JSK36NSL	45,000 lb	150,000 lb	JSK36N
 JSK37Y	JSK37Y	50,000 lb	150,000 lb	JSK37Y
REPLACEMENT TOP PLATES				
 JSK37FSL	JSK37FSL* - Replaces "F" Models** SL5000, SL6000, SL7000, SL5092, SLH5092 - Replaces Kits KIT-RPR-5092L, KIT-RPR-7000 * Will increase 5th wheel height by 5/16" ** Is not compatible with 7" LWS Series Sliders	55,000 lb	150,000 lb	JSK37F
 JSK37HSL	JSK37HSL* - Replaces "H" Models FW8, FW2000, FW3501, FW17, FW2500, FWAL, FW35, FW2535 - Replaces Kits RK-17-A-L, RK-351-A-L, RK-AL-A-L * Will increase 5th wheel height by 3/4"	55,000 lb	150,000 lb	JSK37H

REBUILD KITS — JOST®

JOST

	PN	DESCRIPTION	SERIES
MAJOR REBUILD KIT — COMPLETE TOP PLATE			
	SK 75013-09	Models JSK37UAB, JSK37USB (35 lb)	Cast Top Plate
	SK 75013-00	Models JSK37UAL, JSK37USL (33 lb)	
	SK 75013-01	Models JSK37UAR, JSK37USR (33 lb)	
	SK 75013-16	Models JSK37UAA, JSK37USA (33 lb)	Air Release Cast Top Plate
	SK 75013-19	Model JSK37UWA (33 lb)	
	SK 75013-34	Models JSK37YAA, JSK37YAS (53 lb)	Low Lube Cast Top Plate
	SK 75013-23	Models JSK37YSA, JSK37YSS (53 lb)	
	SK 75013-14	Model JSK37FSL (33 lb)	Fontaine Field Replacement
	SK 73221-52Z	Model JSK37HSL (33 lb)	SAF Holland Field Replacement
MINOR REBUILD KIT — CUSHION & LOCK JAW			
 SK 73221-50Z	SK 73221-50Z	• Ring, Eye Bolt, Lock Jaw Spring, Lock Jaw, Lock Jaw Pivot Pin, Cushion Ring Insert, Cushion Ring Fixture, Lubrication Kit, (4) Socket Head Cap Screws • 6 lb	JSK 37 Series
	SK 75013-05	• Cotter Pin, Lock Jaw Spring, Lock Jaw, Lock Jaw Pivot Pin, Wear Ring, (3) Socket Head Cap Screws • 6 lb	JSK 36 Series
	SK 75013-24	• Cushion Ring Bolt, Cushion Ring, Lock Jaw Pivot Pin, LH Lock Jaw, Lock Jaw Spring, Eye Bolt, Ring, LH & RH Throat Guides, Lubricating Kit • 16 lb	JSK 37 Series
MINOR REBUILD KIT — THROAT & LOCK JAW			

REPLACEMENT KITS — JOST®

JOST

	PN	DESCRIPTION	WEIGHT
 SK 3106-003	SK 3106-003*	• Composite Low Lube Plate Replacement Kit • 2 Plates, 12 Bolts	10 lb
	SK 79004-01*	• Steel Liner Plate Replacement Kit • 2 Plates, 12 Bolts	35 lb

* Fits standard top plates JSK37UWA, JSK37UWB, JSK37UWL & JSK37UWR

FIFTH WHEEL AIR LINE KITS & COMPONENTS

AIR LINE KITS — JOST®

JOST

	PN	DESCRIPTION	SLIDE TRAVEL	WEIGHT
	SK 75002-01	Complete Air Slide Control and Air Line Kit (Includes: Cab Control Valve, 30' SAE JS44 Type A Nylon Tubing, 90° Fitting, Bulk Head Fitting, Coiled Air Line, and Wire Ties)	36" or less	2 lb
	SK 75002-04		48" or more	2 lb
	SK 75002-02	Air Slide and Air Line Kit (Includes: Bulk Head Fitting, Coiled Air Line, Wire Ties)	36" or less	2 lb
	SK 75002-16		48" or more	2 lb
	SK 75002-12	Topplate Air Release Air Line Kit (Includes: 30' SAE JS44 Type A Nylon Tubing, 90° Fitting, Bulk Head Fitting, and Coiled Air Line)	5th Wheel Type 36" or less Stationary	1 lb
	SK 75002-15		5th Wheel Type 48" or more	1 lb


AIR COMPONENTS — JOST®

JOST

	PN	DESCRIPTION	WEIGHT
	SK 75015-03	Sliding Fifth Wheel Air Cylinder	4 lb
	SK 75015-05	Air Release Top Plate Standard Air Cylinder	5 lb
	SK 75002-05	Air Release Top Plate Manifold Assembly Kit	2 lb

SERVICE TOOLS — JOST®



	PN	DESCRIPTION	WEIGHT
 SK 75021-00	SK 75021-00	Fifth Wheel Release Hook	1-1/4 lb
 SK 76000-00	SK 76000-00	Fifth Wheel Lock Tester	30 lb
 SK 76001-01	SK 76001-01	Kingpin Gage	4-1/2 lb
 SK 76001-05	SK 76001-05	Upper Coupler Gage	30 lb
 SK 76003-00	SK 76003-00	Double Coil Spring Tool	1/4 lb
 SK 76005-01	SK 76005-01	Bracket Pin Slide Hammer	19 lb

TOP PLATES MOUNTING OPTIONS — JOST®



Outboard Slider



Inboard Slider



Outboard Flat
Plate Mount



Outboard
Plate Mount



Inboard
Angle Mount




Bracket for
Angle Mount

FIFTH WHEEL AIR CYLINDER, LUBE LINER & KING PINS

FIFTH WHEEL AIR CYLINDER

	PN	DESCRIPTION
 2524P	2524P	9-3/8" x 2-3/4"

LUBE LINER

	PN	DESCRIPTION	STANDARD PACK
 SD-003RL	SD-003RL	32" Slick Disk w/ Ring	5
	SD-004RL	24" Slick Disk w/ Ring	1

KING PINS



	PN	BOLSTER THICKNESS	REFERENCE PN
 KP-T809F	KP-T809CF	1/4"	KP20025
	KP-T809EF	5/16"	KP20031
	KP-T809F	3/8"	KP20038
	KP-T809BF	1/2"	KP20050

KING PIN LOCKS

	PN	DESCRIPTION
 KPL50020	KPL50020	King Pin Lock, Assorted Keys
	KPL50021K1	King Pin Lock, Key #1
	KPL50021K2	King Pin Lock, Key #2

PINTLE HOOK ASSEMBLIES



	HOLLAND PN	DESCRIPTION
 PH-10RN41	PH-10RP41	• Rigid Mount • 2,000 lb Max. Vertical Load • 10,000 lb Max. Gross Trailer Weight
 PH-30RP41	PH-30RP41	• Rigid Mount • 6,000 lb Max. Vertical Load • 30,000 lb Max. Gross Trailer Weight
 PH-210RN11	PH-210RN11 PH-210RA11	• Rigid Mount • 18,000 lb Max. Vertical Load • 90,000 lb Max. Gross Trailer Weight • PH-210RN11: w/o Air Chamber / Plunger / Brk • PH-210RA11: w/ Air Chamber / Plunger / Brk
 PH-410RN11	PH-410RN11 PH-410RA11	• Rigid Mount • 20,000 lb Max. Vertical Load • 100,000 lb Max. Gross Trailer Weight • PH-410RN11: w/o Air Chamber / Plunger / Brk • PH-410RA11: w/ Air Chamber / Plunger / Brk
 PH-760	PH-760	• Swivel Mount • 9,800 lb Max. Vertical Load • 49,000 lb Max. Gross Trailer Weight

DRAWBARS





	HOLLAND PN	DESCRIPTION
 DB-060FQ1	DB-060FQ1	• Rigid Bolt-On • 15,000 lb Max. Vertical Load • 60,000 lb Max. Gross Trailer Weight • Replaces DB-1385
 DB-1400	DB-1400	• Rigid Mount • 18,000 lb Max. Vertical Load • 90,000 lb Max. Gross Trailer Weight
 DB-1249-49	DB-1249-49	• Rigid Bolt-On • 9,000 lb Max. Vertical Load • 45,000 lb Max. Gross Trailer Weight

CONTAINER PART TWIST LOCKS


TWIST LOCKS — PRIMER FINISHED FORGED STEEL

	REPLACES	CROSS REFERENCE	WEIGHT
	PN 1105-1131-2		
	Penz 15-161-C	Buffers 1101-1131, 1101-1206, 1101-1207 Twistlocks	4.85 lbs 2.2 kg
	PN 1105-1257-2		
	Schulz 905,228, 004 Penz 15-69	Buffers 1102-1259, 1102-3229, 1102-3248, Schulz F66, and F77 Twistlocks	3.80 lbs 1.7 kg
	PN 1105-1321		
	Westlake 1220-4/5 Penz 15-128	Westlake 85-4 and 85-5 Twistlocks Works w/ Buffers 1107-1300-L/R Handle and 1108-1271 Latch	5.05 lbs 2.29 kg
	PN 1105-1447		
	Penz 15-68 Schulz 905.177.002	Schulz F33 Twistlock	5.2 lbs 2.36 kg
	PN 1105-1450		
	Penz 15-130	Penz 90-36/ST and 90-36/H Twistlocks Works w/ Buffers 1107- 1400, 1107-1647 Handle	3.7 lbs 1.68 kg
	PN 1105-1452		
	Penz 15-86	Penz 90-05 Twistlock Works w/ Buffers 1107-1344 Handle	5.0 lbs 2.27 kg


PINLOCK PINS — PRIMER FINISHED




1106-1358



1106-1340



1106-1374-2





1106-1380

PN	REPLACES	APPLICATION	WEIGHT
1106-1358 – Fab Steel	Penz 20-96	Penz 90-26-XX* Pinlock	3.6 lbs 1.63 kg
1106-1374-2 – Fab Steel	Penz 20-45-1 Handle and 20-45-2 Pin		3.6 lbs 1.63 kg
1106-1380 – Forged Steel	Penz30-21 Schultz 905-156-002	Schultz FB55HL, Penz 90-01-XX* Pinlocks; Works w/ Buffers 1107-1464 Handle	3.2 lbs 1.45 kg
1106-1340 – Forged Steel	Westlake 1305 Penz 20-99/10	Westlake ML90-2/3 Pinlocks; Works w/ Buffers 1107-1341 Handle, 1110-4599 Split Roll Pin	3.1 lb 1.41 kg



* XX = Specify length to find matching Part Number

CONTAINER PART HANDLES




HANDLES



MODEL 1269-L HANDLE



MODEL 1269-R HANDLE


BOLT AND NUT
INCLUDED

PN	REPLACES	APPLICATION	MATERIAL	FINISH	WEIGHT
1107-1269-L 1107-1269-R	Westlake 1222-L/R Penz 20-98-XX*	Westlake ML85-2/3 Twistlock; Works w/ Buffers 1105-1301, 1105-2037 Pins, and 1108-1271 Latch	Fab Steel	Zinc Plated	0.9 lbs
1107-1344-KIT	Penz 20-55 Schultz 905.177.003	Penz 90-05, 90-05/A and 90-06; Works w/ Buffers 1105-1447, Pin and 1108-1345 Latch	Cast Steel	Primer	2.4 lbs
1107-1399	Schultz 905-228-100 Penz 20-57 pin	Schultz F66 Twistlock	Fab Steel	Zinc Plated	1.70 lb

* XX = Specify length to find matching Part Number




SAFETY LATCHES

Latches, Tabs, Bolts & Nuts Sold Separately



Use w/ Buffers No. 111D-4541 Bolt & 1110-4542 Nut

1108-1224-2L/R



PN	REPLACES	APPLICATION	MATERIAL	FINISH	WEIGHT
1108-1224-2L 1108-1224-2R	Penz 25-09 Latch and 25-02/H Tab	Most Twistlocks	Fab Steel	Zinc Plated	Latch 0.26 lb Tab 0.13 lb
1108-1350	Penz 25-11 Schultz 905-238-002	Buffers 1103-1624 Schultz FB88 Penz 90-31-XX* Pinlocks	Fab Steel	Zinc Plated	0.25 lb
1108-1404	Penz 25-05 Schultz 905-206-001	Penz 90-01-XX* and Schultz FB55 Pinlocks	Cast Steel	Primer	1.9 lb
1108-1417-18	Penz 25-16	Buffers 1103-417, 1103-1617 Penz 90-19, 90-20, 90-29 Pinlocks	Fab Steel	Zinc Plated	0.15 lb

* XX = Specify length to find matching Part Number

CONTAINER FRONT PANELS

Corten Steel, Primer Finish, 1030 mm / 40.5" Wide, 2 mm / 5/64" Thick

	PN	REPLACES	LENGTH	WEIGHT
	1201-2230	CSP-13-HC	2700 mm 106.25"	109 lb
	1201-2229	CSP-13-HC/101.5	2580 mm 101.50"	104 lb

CONTAINER SIDE PANELS

Corten Steel, Primer Finish, 2 mm / 5/64" Thick


	PN	REPLACES	LENGTH	WIDTH	WEIGHT
	1201-2110	CPS-14.50-HC	2692 mm 106"	1268 mm 49.875"	122.5 lb
	1201-2111	CPS-14.44-HC	2743 mm 108"	1133 mm 44.50"	103 lb
	1201-2112	CSP-17-HC	2743 mm 108"	953 mm 37.50"	96 lb
	1201-2819	CSP-15-HC/2.0	2700 mm 106.38"	1117 mm 44"	110 lb

CONTAINER SIDE PANEL

Corten Steel, Primer Finish, 1.6 mm / 1/16" Thick

	PN	REPLACES	LENGTH	WIDTH	WEIGHT
	1201-6399	CSP-15-HC/1.6	2700 mm 106.38"	1117 mm 44"	90 lb

ROOF PANELS — PRIMER FINISHED CORTEN STEEL



PN	REPLACES	LENGTH	WIDTH	THICKNESS	WEIGHT
1202-2117	CRP-5 & MTR17AC	2356 mm 92.75"	1045 mm 41.125"	2 mm 5/64"	91 lb
1202-2118	CRP-3	2370 mm 93.38"	1022 mm 40.25"	2 mm 5/64"	82 lb
1202-2138	CRP-102/1.6	2510 mm 98.81"	1050 mm 41.31"	1.6 mm 1/16"	75 lb
1202-2149	MTR22CP	2360 mm 92.88"	1050 mm 41.375"	2 mm 5/64"	91 lb

LIGHT DUTY TRAILER BRAKE PARTS

SMALL TRAILER BRAKE PARTS — ELECTRIC BRAKE ASSEMBLIES



K23-106-HDV

PN	DEXTER CROSS	REDNECK	NUERA	ROCKWELL	HD VALUE DESCRIPTION	SIZE	CAPACITY	SIDE	MOUNT
K23-105-HDV	K23-105-00 023-105-00	EB01-120	27-442-ALB	—	EBA 12 x 2 5.2k LH	12" x 2"	5.2k	LH	5 Hole
K23-106-HDV	K23-106-00 023-106-00	EB01-125	27-443-ALB	—	EBA 12 x 2 5.2k RH	12" x 2"	5.2k	RH	5 Hole
K23-180-HDV	K23-180-00 023-180-00	BE12-70L	27-450-ALB	4704-L	EBA 12 x 2 7k LH	12" x 2"	7k	LH	5 Hole
K23-181-HDV	K23-181-00 023-181-00	BE12-70R	27-451-ALB	4704-R	EBA 12 x 2 7k RH	12" x 2"	7k	RH	5 Hole
K23-450-HDV	K23-450-00 023-450-00	EB01-140	27-448-ALB	23-195	EBA 12.25 x 3.375 9-10k LH	12-1/4" x 3-3/8"	9-10k	LH	7 Hole
K23-451-HDV	K23-451-00 023-451-00	EB01-145	27-449-ALB	23-196	EBA 12.25 x 3.375 9-10k RH	12-1/4" x 3-3/8"	9-10k	RH	7 Hole
K23-434-HDV*	K23-434-00 023-434-00	EB01-130	27-444-1	23-97	EBA 12.25 x 3.375 8k LH SA	12-1/4" x 3-3/8"	8k	LH	4 Hole
K23-435-HDV*	K23-435-00 023-435-00	EB01-135	27-445-1	23-98	EBA 12.25 x 3.375 8k RH SA	12-1/4" x 3-3/8"	8k	RH	4 Hole
K23-26-HDV	K23-026-00 023-026-00	EB01-100 BE10-35L	27-440-ALB	4701-L	EBA 10 x 2.25 3.5k LH	10" x 2-1/4"	3.5k	LH	4 Hole
K23-27-HDV	K23-027-00 023-027-00	EB01-105 BE10-35R	27-441-ALB	4701-R	EBA 10 x 2.25 3.5k RH	10" x 2-1/4"	3.5k	RH	4 Hole
K23-438-HDV	K23-438-00 023-438-00	—	27-448-3	—	EBA 12.25 x 4 10k LH	12-1/4" x 4"	10k HD	LH	7 Hole
K23-439-HDV	K23-439-00 023-439-00	—	27-449-3	—	EBA 12.25 x 4 10k RH	12-1/4" x 4"	10k HD	RH	7 Hole
K23-446-HDV	K23-446-00 023-446-00	—	27-454-1	4741-L	EBA 12.25 x 5 15k LH	12-1/4" x 5"	15k	LH	7 Hole
K23-447-HDV	K23-447-00 023-447-00	—	27-455-1	4741-R	EBA 12.25 x 5 15k RH	12-1/4" x 5"	15k	RH	7 Hole
K23-442-HDV	K23-442-00 023-442-00	EB01-160	27-452-1	4741-L	EBA 12.25 x 5 12k LH	12-1/4" x 5"	12k	LH	7 Hole
K23-443-HDV	K23-443-00 023-443-00	EB01-165	27-453-1	4741-R	EBA 12.25 x 5 12k RH	12-1/4" x 5"	12k	RH	7 Hole
K23-464-HDV*	K23-464-00 023-464-00	EB01-127	—	4704-LA	EBA 12 x 2 7k LH SA	12" x 2"	7k	LH	5 Hole
K23-465-HDV*	K23-465-00 023-465-00	EB01-128	—	4704-RA	EBA 12 x 2 7k RH SA	12" x 2"	7k	RH	5 Hole
K23-47-HDV	K23-047-00 023-047-00	EB01-070	27-438	4740-L	EBA 7 x 1.25 2k LH	7" x 1-1/4"	2k	LH	4 Hole
K23-48-HDV	K23-048-00 023-048-00	EB01-075	27-439	4740-R	EBA 7 x 1.25 2k RH	7" x 1-1/4"	2k	RH	4 Hole

* Self Adjusting

SMALL TRAILER BRAKE PARTS — HUB & DRUM SETS



008-219-4-HDV

PN	DEXTER CROSS	REDNECK	NUERA	ROCKWELL	HD VALUE DESCRIPTION	SIZE	CAPACITY	STUDS	BOLT CIRCLE	SEAL
008-219-4-HDV	008-219-04	42866	27-301-B-ALB	922865A-1	H&D 12" 7k 8 x 6.5 H 2.125" S 1/2" B	12"	7k	8, 1/2"	6-1/2"	2.125"
008-219-13-HDV	008-219-13	—	—	—	H&D 12" 7k 8 x 6.5 H 2.125" S 9/16" B	12"	7k	8, 9/16"	6-1/2"	2.125"
008-247-5-HDV	008-247-05	85456	27-290-B-ALB	94545-1	H&D 10" 3.5k 5 x 4.5 H 1.718" S	10"	3.5k	5	4-1/2"	1.718"
008-201-5-HDV	008-201-05	—	27-300-B-ALB	—	H&D 12" 5.2k 6 x 5.5 H 2.125" S	12"	5.2k	6	5-1/2"	2.125"
008-201-9-HDV	008-201-09	42656	27-305-B-ALB	92655-1	H&D 12" 6K 6 x 5.5 H 2.125" S	12"	6k	6	5-1/2"	2.125"

SMALL TRAILER BRAKE PARTS — DRUMS

PN	DEXTER CROSS	REDNECK	NUERA	ROCKWELL	HD VALUE DESCRIPTION	SIZE	CAPACITY	STUDS	BOLT CIRCLE
009-27-1-HDV	009-027-01	—	27-315	—	Drum 12.25 x 4 10k 8 x 7.5 H	12-1/4" x 4"	10k HD	8	7-1/2"
009-28-1-HDV	009-028-01	—	27-315-2	—	Drum 12.25 x 5 12-15k 8 x 7.5 H	12-1/4" x 5"	12-15k HD	8	7-1/2"

TAILGATE CYLINDERS

TAILGATE CYLINDERS — 2-1/2" DIAMETER

	PN	DESCRIPTION	RETRACTED LENGTH	EXTENDED LENGTH	VLV CROSS
 AV100122	AV100122	4" Stroke	9-3/8"	13-3/8"	100122
	AV100123	6" Stroke	11-3/8"	17-3/8"	100123
	AV100124	8" Stroke	13-3/8"	21-3/8"	100124

TAILGATE & HI-LIFT CYLINDERS



	PN	DESCRIPTION	TYPE	RETRACTED	EXTENDED
 C-6059-E-PK	C-5026S-PK	2.5 x 6 Tailgate	Tie Rod	12.50"	18.50"
	C-5063-PK	2.5 x 6 Tailgate	Tie Rod	14.40"	20.40"
	C-5070S	2.5 x 8 Tailgate	Tie Rod	13.87"	21.87"
	C-5180S-PK	2.5 x 4 Tailgate	Tie Rod	10.48"	14.48"
	C-6009-PK	3.5 x 8 Tailgate	Tie Rod	17.50"	25.50"
	C-6011-PK	3.5 x 8 Tailgate	Tie Rod	16.70"	24.70"
	C-6059-E-PK	3.5 x 8 Tailgate	Tie Rod	16.00"	24.00"
	C-6059-PK	3.5 x 8 Tailgate	Tie Rod	16.00"	24.00"
	C-7421-PK-M	4 x 20 Hi-Lift	Tie Rod	29.50"	49.50"
	C-7424-PK-M	4 x 24 Hi-Lift	Tie Rod	34.70"	58.70"
	C-0424-PK-M	4 x 24 Hi-Lift	Round	35.75"	59.75"
	C-0428-FC	4 x 28 Hi-Lift	Round	39.18"	67.18"
	C-0429-FC-PK-1	4 x 29 Hi-Lift	Round	39.50"	68.50"
	C-0430-PK-1	4 x 30 Hi-Lift	Round	41.25"	71.25"
	C-0410-SR	4 x 4.6 SR TR (MGM)	Round	22.81"	27.41"

PK = Pin and Devis // M = Muffler // FC= Flow Control // E = Electric Solenoid // -1= 1" pins // TR = Trunion Mount

ALUMINUM REPAIR TAPE

	PN	DESCRIPTION	SIZE	COLOR
 SST-3302-4	SST-3302-4	Aluminum Repair Tape 33 mil	4" x 33'	Silver
	SST-3302-4-W	White Aluminum Repair Tape 33 mil	4" x 50'	White
	SST-3302-6	Aluminum Repair Tape	6" x 33'	Silver

TRAILER REPAIR

	PN	DESCRIPTION	COLOR	SIZE	CONTAINER	BRAND
 49280	CAULK					
	49294	Ind Grade RTV Silicone Sealant	Clear	11 oz	Cartridge	Dynatex
	49281	Ind Grade RTV Silicone Sealant	Grey	11 oz	Cartridge	Dynatex
	49285	Ind Grade RTV Silicone Sealant	White	11 oz	Cartridge	Dynatex
	SEALANTS					
	6324†	North America's Premier Adhesive/Sealant	White	11 oz	Cartridge	Silaprene
	6325†	North America's Premier Adhesive/Sealant	Gray	11 oz	Cartridge	Silaprene
	6328†	North America's Premier Adhesive/Sealant	Super White	11 oz	Cartridge	Silaprene
	49390†	GTX Multi-Seal Adhesive/Sealant	Black	11 oz	Cartridge	Dynatex
	49391†	GTX Multi-Seal Adhesive/Sealant	Grey	11 oz	Cartridge	Dynatex
	49392†	GTX Multi-Seal Adhesive/Sealant	White	11 oz	Cartridge	Dynatex
	ROOF REPAIR					
	640†	Roof Sealant Trowelable	Alum	Gallon	Pail	Vulkem
	SG1G†	Roof Sealant Brushable	Alum	Gallon	Pail	Seal-Gap

† Denotes application of a California Prop 65 warning as follows: ⚠ WARNING: Cancer and Reproductive Harm — www.P65Warnings.ca.gov.

TRAILER REPAIR



ADHESIVES & SEALANTS

SEAL Premium Sealant & Adhesive[†]

- Flexible sealant
- 300 ml tube
- Seals tears, fills holes, seams joints
- No shrink, streak or stain
- Paintable
- Non-yellowing, waterproof
- Caulking

	PN	DESCRIPTION
 603920TR	603920TR	Grey
	603910TR	White
	603900TR	Black

BOND Premium Adhesive & Sealant[†]

- High-Strength Adhesive
- 300 ml tube
- No shrink, streak or stain
- Paintable
- Non-yellowing, waterproof
- Quick adhesion
- Permanent and elastic
- Bonds most materials

	PN	DESCRIPTION
 603860TR	603860TR	Grey
	603840TR	White

FIX Silicone Sealant & Adhesive[†]

- Performs in extreme hot and cold conditions
- 300 ml tube
- Caulking
- Sealing
- Light bonding
- Water proofing

	PN	DESCRIPTION
 602850TR	602810TR	Grey
	602800TR	Clear
	602850TR	White

[†] Denotes application of a California Prop 65 warning as follows: ⚠ WARNING: Cancer and Reproductive Harm — www.P65Warnings.ca.gov.



ADHESIVES & SEALANTS — Continued

FILL Minimal Expanding Foam

- One component, no mix needed
- Bonds to existing foam insulation
- Restricts air, dirt, sound and water vapor
- Seals and fills joints, gaps and cavities

	PN	DESCRIPTION
	60200OTR	12-oz can


SEAL Premium Roofing Sealant & Adhesive[†]

- Flexible & Strong Sealant
- 1-gallon pail
- Seals tears, fills holes, seams joints
- No shrink, streak or stain
- Non-yellowing, waterproof

	PN	DESCRIPTION
	60382OTR	Brush grey
	60380OTR	Trowel grey

[†] Denotes application of a California Prop 65 warning as follows: ⚠ WARNING: Cancer and Reproductive Harm — www.P65Warnings.ca.gov.

HYDRAULICS & PTO



1 - Reservoirs
2 - Accessories
3 - PTO

4 - Pump
5 - Hose & Fittings

