



PARTS SALES

Your Make. Your Model. Your Part.SM

PRO-SELECTTM

**Industrial Quality Parts Priced to Deliver Incredible Value
Exclusive to Stoughton Parts Sales, LLC.**



www.stoughtonparts.com

PRO-SELECT[™]

- Wide Product Offering
- In-Stock
- Priced Right
- OEM Quality



Axles & Components--Brake Chambers

PRO-BC3030V

Power Spring

50/Pallet

Black passivated and passes 48 hour salt spray test
CNC coiled and meets both force and life cycle requirements as published by the Society of Automotive Engineers 1 million cycle test

Non-Pressure Housing

11 Gauge with reinforced mounting bolts to prevent damage
Black E-Coating and passes 200 hour salt spray test

Clamp Bands

Matched stamping for maximum seal and life
High strength steel material consistent long-life pressure
Zinc coated and corrosion prevention passes 72 hour salt spray test

Push Rod

Thick steel plate exceeds all OEM standards
Rolled edge creates smooth working surface
Orange stroke alert indicator OEM
CNC Welding for push rod/plate attachment (very strong)

Aluminum Adapter

Die cast 360 spec aluminum
Double O-Ring seal
Ground/plated push rod for smoothest friction surface

Diaphragm

Natural/synthetic rubber blend
Meets SAE 1 million cycle test

Return Springs


.177 Spring wire SAE tested to 1 million cycles

Fasteners

All fasteners are tensile strength and adhere to SAE standards





Standard stroke 30/30

The thread length on the connecting rod is 12 5/8
2 Year Warranty





Date
Code


Axles & Components--Brake Shoes & Hardware


ITEM #	ITEM DESCRIPTION
PRO-KIT8000HD	<p>BRAKE HARDWARE KIT</p> <p>Application: Drive Axle, Trailer Axle</p> <p>Brake Diameter: 16.50 in.</p> <p>Brake Type: Q & Q-Plus For Q Series; 5" 4524B ; 6" 4514G; 7" 4515E; 8.63" 4551G; 10" 4514G/4549C; For Q+ Series; 7" 4707; 8" 4718; 8.63" 4711</p> 
PRO-R507004	<p>AIR BRAKE HARDWARE KIT, EATON</p> <p>Application: Front Steer Axle</p> <p>Brake Diameter: 15.00 in.</p> <p>Brake Type: Eaton</p> <p>Brake Width: 4.00 in.</p> <p>Notes: Single Anchor Pin Front Brake. Services 1 Brake</p> 
PRO-R507008	<p>AIR BRAKE HARDWARE KIT, FRUEHAUF</p> <p>Application: Trailer Axle</p> <p>Brake Diameter: 16.50 in.</p> <p>Brake Type: Pro-Par</p> <p>Brake Width: 7.00 in.</p> <p>Notes: Services 1 Brake</p> 
PRO-R507064	<p>AIR BRAKE HARDWARE KIT, EATON</p> <p>Application: Drive Axle</p> <p>Brake Diameter: 16.50 in.</p> <p>Brake Type: ES-II</p> <p>Brake Width: 7.00 in. & 8.625 in.</p> <p>Notes: For use with new ES-II, No-Tab shoe with retainer spring Holes in web. Can only be used with Eaton ES camshafts. Services one Brake.</p> 

Axles & Components--Brake Shoes & Hardware

PRO-EK1HD	EATON 16-1/2IN. SINGLE ANCHOR PIN BRAKE	
PRO-ES1	EATON 16-1/2IN. ES EXTENDED SERVICE	
PRO-ES2	EATON ESII 16-1/2IN. BRAKE HARDWARE KIT	
PRO-QK1HD	16-1/2IN. Q, Q PLUS AND SPICER	
PRO-QK2SHD	16-1/2IN. Q, Q PLUS, SPICER FAST CHANGE	
PRO-XK3HD	LATE XEM BRAKE	

Axles & Components--Camshafts Repair Kits


PRO-08-5001	CAMSHAFT REPAIR KIT, LATE TRAILER AXLES, AXLES WITH FABRICATED SPIDERS, 16 1/2IN	
PRO-B8772MHD	CAMSHAFT REPAIR KITS	<div> 4 - B960 Washer 2 - B961 Washer 4 - B988 Washer 2 - B8610 Washer 2 - B8622 Lock 4 - B8625 Seal 2 - B8634A Lock 2 - B8689 Lock 2 - B8696HD Bracket 2 - B8782 Bronze Bushing 2 - B8786 Washer 2 - B8787 Washer </div>
PRO-B8773MHD	CAMSHAFT REPAIR KIT, 16.5IN Q/QPLUS HD BRACKET	<div> 2 - B793 Lock 2 - B988 Washer 2 - B8610 Washer 4 - B8625 Seal 2 - B8634A Lock 2 - B8689 Lock 2 - B8696HD Bracket 2 - B8783 Bracket 2 - B8784 Washer 2 - B8785 Washer </div>



Axles & Components--Camshafts

PRO-C059L	CAMSHAFT, LH, 23-3/4", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-5/8" JOURNAL - EATON 16-1/2" ES
PRO-C060R	RH CAMSHAFT, RH, 23-3/4", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-5/8" JOURNAL - EATON 16-1/2" ES
PRO-C098L	CAMSHAFT, LH, 22-15/16", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-1/2" D JOURNAL - SPICER 16-1/2" XL
PRO-C099R	CAMSHAFT, RH, 22-15/16", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-1/2" D JOURNAL - SPICER 16-1/2" XL
PRO-C443BL	CAMSHAFT, LH, 20-13/32", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-5/8" D JOURNAL - MERITOR 16-1/2" Q-PLUS
PRO-C444BR	CAMSHAFT, RH, 20-13/32", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-5/8" D JOURNAL - MERITOR 16-1/2" Q-PLUS
PRO-C445BL	CAMSHAFT, LH, 24-1/16", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-5/8" D JOURNAL - MERITOR 16-1/2" Q-PLUS
PRO-C446BR	CAMSHAFT, RH, 24-1/16", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-5/8" D JOURNAL - MERITOR 16-1/2" Q-PLUS
PRO-C526L	CAMSHAFT, LH, 23-9/16", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-1/2" D JOURNAL - SPICER 16-1/2" XL
PRO-C527R	CAMSHAFT, RH, 23-9/16", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-1/2" D JOURNAL - SPICER 16-1/2" XL
PRO-C563L	CAMSHAFT, LH, 16-1/8", 1-3/8" HEAD, 1-5/8"-37 SPLINE, 1-5/8" JOURNAL - FRUEHAUF 16-1/2
PRO-C564R	CAMSHAFT, RH, 16-1/8", 1-3/8" HEAD, 1-5/8"-37 SPLINE, 1-5/8" JOURNAL - FRUEHAUF 16-1/2

Axles & Components--Hubcaps



PRO-343-4009	HUBCAP W/GASKET - ALUMINUM WITH GASKET BOLT CIRCLE: 5 1/2" BOLT SIZE: 5/16" INSIDE DEPTH: 1 15/16" O.D.: 6 1/4" I.D.: 4 3/8"	
--------------	---	--

Axles & Components-- Slack Adjusters




PRO-40010140	AUTO SLACK ADJUSTER, 28SP, 5IN & 6IN DRILLING
PRO-40010141	AUTO SLACK ADJUSTER, 28SP, 5.5IN & 6.5IN. DRILLING
PRO-40010142	AUTO SLACK ADJUSTER, 10SP, 5-6IN
PRO-40010143	AUTO SLACK ADJUSTER, 10SP, 5.5IN
PRO-40010144	AUTO SLACK ADJUSTER, 1.5-28SP, 6IN
PRO-40010211	AUTO SLACK ADJUSTER, 28SP, 5.5IN
PRO-40010212	AUTO SLACK ADJUSTER, 28SP, 6IN
PRO-40010214	AUTO SLACK ADJUSTER, 37SP, 6IN
PRO-40010216	AUTO SLACK ADJUSTER, 10SP, 5.5IN
PRO-40010305	AUTO SLACK ADJUSTER, 28SP, 6IN
PRO-801003	AUTO SLACK ADJUSTER, 24SP, 5.5IN
PRO-801041	AUTO SLACK ADJUSTER, 1.5-10, 5.5IN
PRO-801042	AUTO SLACK ADJUSTER, 1.5-10, 6IN
PRO-801073	AUTO SLACK ADJUSTER, MERITOR STYLE, 28SP, 5.5IN
PRO-801074	AUTO SLACK ADJUSTER, MERITOR STYLE, 28SP, 6IN


AXLES, AIR SYSTEMS & COMPONENTS--TANKS, GLADHANDS, HOSES

PRO-P01021	GLADHAND, UNIVERSAL, STANDARD MOUNT	
PRO-P80021	GLADHAND, EMERGENCY, STANDARD MOUNT	
PRO-P60021	GLADHAND, SERVICE, STANDARD MOUNT	
PRO-P01311R	COILED AIR HOSE, 12FT, RED	<ul style="list-style-type: none"> Includes thread seal for secure connection to gladhand Single piece trailer side and three-piece swivel tractor side fittings Plated steel spring for added tubing protection Remains flexible at -40°F (-40°C) 
PRO-P11311B	COILED AIR HOSE, 12FT, BLUE	
PRO-P21311S	COILED AIR SET, 12FT	
PRO-P83311R	COILED AIR HOSE, 15FT W/40IN. LEAD, RED	
PRO-P93311B	COILED AIR HOSE, 15FT W/40IN. LEAD, BLUE	
PRO-P04311S	COILED AIR SET, 15FT W/40IN. LEAD	
PRO-P71311R	COILED AIR HOSE, 15FT, RED	
PRO-P81311B	COILED AIR HOSE, 15FT, BLUE	
PRO-P51311S	COILED AIR SET, 15FT	
PRO-P02311S	COILED AIR SET, 20FT	


Axles, Air Systems & Components-Valves & Cable

PRO-065145	BPR1 VALVE 4.0 PSI	
PRO-065303	R12 MULTI FUNCTION VALVE	
PRO-065439	SPRING BRAKE VALVE, SR-5	
PRO-101112	CONTROL VALVE, SPRINGBRAKE, SR-4	
PRO-101622	CONTROL VALVE, SPRINGBRAKE, SR-4	
PRO-102626	RELAY VALVE W/BACKET, R12	
PRO-103009	RELAY VALVE, HORIZ, R-12H	
PRO-103010	RELAY VALVE, HORIZONTAL, R14H	
PRO-110170	SPRING BRAKE VALVE	
PRO-110171	SPRING BRAKE VALVE	
PRO-110197	RELAY VALVE	
PRO-227788	CHECK VALVE	
PRO-227870	CHECK VALVE	
PRO-229859	QUICK RELEASE VALVE, QR-1	
PRO-229860	QUICK RELEASE VALVE, QR-1	
PRO-275491	GOVERNOR, D2	
PRO-276566	PUSH/PULL VALVE, TYPE PP-1	
PRO-278614	DOUBLE CHECK VALVE, DC-4	
PRO-279000	TRACTOR PROTECTION VALVE, TP-3	
PRO-28520	RELAY VALVE, RG2, 2-PORT	
PRO-286171	E6 FOOT VALVE	
PRO-286370	RELAY VALVE, R-8	
PRO-287114	R8P VALVE	
PRO-288241	PP7 VALVE 5/16"	
PRO-288746	PP3 DASH VALVE	
PRO-289714	QUICK RELEASE VALVE, QR-1C	
PRO-5001230	MV3 DASH CONTROL	
PRO-90054007	HEIGHT CONTROL VALVE	


Suspensions--Air Springs

PRO-01-7555C	AIR SPRING 2B12-440	
PRO-01-8050C	AIR SPRING 1R14-039, HENDRICKSON TRAILER AIR SPRING	
PRO-01-8091C	AIR SPRING 1R14-171, HENDRICKSON TRAILER AIR SPRING	
PRO-01-8204C	AIR SPRING 1R12-508	
PRO-01-8708C	AIR SPRING 1R13-177	
PRO-01-8709C	AIR SPRING 1R13-159, HENDRICKSON TRAILER AIR SPRING	
PRO-01-8729C	AIR SPRING 1R13-130	
PRO-01-8755C	AIR SPRING 1R13-124	
PRO-01-9069C	AIR SPRING 1R12-069, PETERBILT AIR SPRING	
PRO-01-9122C	AIR SPRING 1R13-038	
PRO-01-9265C	AIR SPRING 1R12-375	
PRO-01-9270C	AIR SPRING 1R13-119, HENDRICKSON AIR SPRING	
PRO-01-9293C	AIR SPRING 1R10-120	
PRO-01-9366C	AIR SPRING 1R12-487	
PRO-01-9394C	AIR SPRING 1R12-281	
PRO-01-9780C	AIR SPRING 1R12-303, FREIGHTLINER AIR SPRING	
PRO-01-9807C	AIR SPRING AS9807	
PRO-01-9875C	AIR SPRING 1R12-432	
PRO-01-9921C	AIR SPRING 1R12-502	
PRO-01-9935C	AIR SPRING 1R12-532	





Suspensions—Shock Absorbers

PRO-83009	SHOCK ABSORBER	
PRO-83128	SHOCK ABSORBER	
PRO-83312	SHOCK ABSORBER	
PRO-83456	SHOCK ABSORBER	
PRO-85000	SHOCK ABSORBER	
PRO-85001	SHOCK ABSORBER	
PRO-85003	SHOCK ABSORBER	
PRO-85043	SHOCK ABSORBER	
PRO-85052	SHOCK ABSORBER	
PRO-89408	SHOCK ABSORBER	
PRO-89410	SHOCK ABSORBER	


Electrical--Harnesses & Cables

PRO-P110203	ABS CABLE ASSEMBLY, STRAIGHT, 8FT	
PRO-P130203	ABS CABLE ASSEMBLY, STRAIGHT, 10FT	
PRO-P150203	ABS CABLE ASSEMBLY, STRAIGHT, 12FT	
PRO-P170203	ABS CABLE ASSEMBLY, STRAIGHT, 15FT	
PRO-P123403	ABS CABLE ASSEMBLY, PERMACOIL, 12FT	
PRO-P123442	ABS CABLE ASSEMBLY, PERMACOIL, 12FT	
PRO-P126403	ABS CABLE ASSEMBLY, PERMACOIL, 15FT	
PRO-P129403	ABS CABLE ASSEMBLY, PERMACOIL, 15FT	
PRO-P129442	ABS CABLE ASSEMBLY, PERMACOIL, 15FT	
PRO-P126442	NON-ABS CABLE ASSEMBLY, PERMACOIL, 15FT	

Electrical—Plugs & Connectors

PRO-P02351	METALLIC SOCKET, SINGLE POLE <ul style="list-style-type: none"> • Zinc die-cast housing for durability • Solid brass pins • Elongated holes for mounting adaptability • Stainless steel hinge pin and spring for long-life • Mates with 15-335 single pole plug • For use with 4 ga., 5/16 in. copper lug 	
PRO-P02751	SPLIT PIN SOCKET, 7-PIN <ul style="list-style-type: none"> • Heavy duty, reinforced zinc die-cast housing • Thread sealed screws prevent wire pull-out • Elongated holes for mounting adaptability • Stainless steel hinge pin and spring • Full-opening lid 	
PRO-P03751	PLUG W/CABLE GUARD, 7-PIN <ul style="list-style-type: none"> • Thread sealed screws prevent wire pull-out • Spring-wrapped, machine crimped brass compression pins • Heavy-duty, reinforced zinc die-cast housing • Strong cable guard to support heavy cables 	
PRO-P53351	PLUG, 1-POLE W/CABLE GUARD <ul style="list-style-type: none"> • Universal single pole plug • Industry-standard plug • Lug for 4 ga. cable included 	

Door Panel/Blank

PRO-DB07549110PW-AL	<p>DOOR PANEL .75x49x110.5in Order Multiple -25</p> <p>White Aluminum / Raw Aluminum Aluminum is .3mm thick</p>	
---------------------	---	---

Door Roll-Up Door Parts

PRO-1406-8529-Z	CENTER HINGE, WH15, TG-15	
PRO-1406-8715-Z	CENTER HINGE, TG-61196	
PRO-1406-8716-Z	END HINGE, TG-69035	
PRO-1406-8742	REAR LOCK, TG-69571	
PRO-1406-8743	REAR LOCK KEEPER, TG-69572	
PRO-1406-8639-1-B	TOP FIXTURE BASE ONLY, TG-69432	
PRO-1406-8639-2-Z	SLIDE ONLY, TG-69431	
PRO-1406-8639-Z-KIT	TOP FIXTURE ASSEMBLY, TG-69433	
PRO-1406-8726-Z	BOTTOM FIXTURE ZINC PLATED, TG-61352	
PRO-1406-8727-Z	LIFT HANDLE, TG-61401	
PRO-1406-8730	ANCHOR BRACKET FOR DOOR CABLE, TG-61204	
PRO-1406-8744-2	Chain Assembly for 1406-8744-1 Keeper, HDG, TG-61229	
PRO-1406-8812	BEARING ASSEMBLY FOR 1IN. SHAFT, TG-51038	
PRO-1406-8814-CS	CABLE DRUMS, TG-59157-3	
PRO-1406-8814-RS	CABLE DRUMS, TG-59157-4	
PRO-1406-8817	BOTTOM 98IN SEAL, TG-80840	
PRO-1406-8819-KIT	HEAD 98IN SEAL, TG-70001	

Landing Gear & Accessories



Item # PRO-CL22TAS (High-Profile)

Item # PRO-CL22TAS-LP (Low-Profile)

- Universal Mount
- 12 kits/pallet
- 3-year warranty
- Static Load Capacity - 132,277 lb.
- Lifting Capacity - 48,501.7 lb.
- Side Load Capacity - 24,250.8 lb.
- Travel Max - 16.92913 in.
- Crank Force - 35.274 lb.
- 68 in. middle shaft

PRO-CL22TAF.S

LANDING GEAR LEG SET
CUSHION, MIN BUY 12



PRO-CL28TAFY.S

LANDING GEAR SET, 17IN
TRAVEL MIN BUY 10



PRO-1001-1295	LOW PRO SHOE, 10X10IN, 1.75IN, NO GUSSET	
PRO-1001-2432	LOW PRO SHOE, 10X10IN, 2.5IN, NO GUSSET	
PRO-1001-1291	SAND SHOE, STANDARD, 10 x10	
PRO-1001-1537	SAND SHOE, LOW PROFILE 10X10, W/PATCH, HD	
PRO-1002-1303-KIT-F	SAND SHOE AXLE, 8.5IN, SCHEDULE 80	
PRO-1002-2775-KIT	SAND SHOE AXLE, 8-3/8IN SOLID AXLE	
PRO-1003-1664	CRANK, VERTICAL, 7.5IN	
PRO-1003-1365	CRANK, VERTICAL, 11IN	
PRO-1003-1366	CRANK, VERTICAL, 15IN	
PRO-1003-1367	CRANK, VERTICAL, 21IN	
PRO-1003-1695	CRANK, HORIZONTAL, 7.5IN	
PRO-1003-6497	CRANK, HORIZONTAL, 12IN	
PRO-1003-1297	CRANK, HORIZONTAL, 15IN	
PRO-1006-1309	ADJUSTABLE BRACE, ID 1.50/OD 1.75 26-41IN 2PC	
PRO-1006-1310	ADJUSTABLE BRACE, ID 1.50/OD 1.75 42-57IN 2PC	
PRO-1006-1311	ADJUSTABLE BRACE, ID 1.50/OD 1.75 58-72IN 2PC	
PRO-1006-2016	K-BRACE, 69-5/8IN, PENZ 02-501-102	
PRO-1006-7599	K-BRACE, 71IN, UNIVERSAL W/O BRACKET	
PRO-1009-2399	LEG COVER, ROUND, K/W/AUSTIN LPR, 5-1/8X.5IN	
PRO-1009-6467	LEG COVER, 1-SPEED, JOST A400/401, FLAT, 5.5IN	
PRO-1009-6527	GEARBOX COVER, OUTER, HOLLAND 51000 LEG	

Paints & Chemicals

HIGH-SOLIDS					
Product does not run or sag & gives twice the coverage of conventional spray paints. Can be applied to bare metal & resists oil, gas, heat, & sunlight.					
Item	Seymour #	Item Description	SIZE	CASE QTY	
SPS-620-1416	620-1416	PAINT, GRAY ANSI 61	20	12	 
SPS-620-1417	620-1417	PAINT, DARK GRAY	20	12	
SPS-620-1418	620-1418	PAINT, LIGHT GRAY	20	12	
04-00014-000-00	620-1411	PAINT, ALUMINUM	20	12	
04-00015-000-00	620-1423	PAINT, RED	20	12	
04-00019-000-00	620-1415	PAINT, BLACK GLOSS	20	12	
04-00020-000-00	620-1413	PAINT, WHITE GLOSS	20	12	
04-00016-000-00	620-1407	PRIMER, RED OXIDE	20	12	
04-00018-000-00	620-1431	PRIMER, LT. GRAY	20	12	
SPS-PAINT RACK SPS-PAINT RACK-HEADER		Holds 64 cans of spray paint 13 In. W x 14 In. D x 48 In. H			
LOW-SOLIDS					
Formulated for general purpose applications where maximum indoor/outdoor coating performance is required & provides a tough finish that inhibits rust & resists heat & gasoline.					
Item	Seymour #	Item Description	SIZE	CASE QTY	
04-00011-000-00	98-3	PAINT, BLACK GLOSS	20	12	
04-00012-000-00	98-15	PRIMER, LT. GRAY	20	12	
04-00013-000-00	N/A	PAINT, WHITE GLOSS	20	12	
COATINGS & LUBRICANTS					
Item	Seymour #	Item Description	SIZE	CASE QTY	
SPS-16-1445	16-1445	COLD GALV, 93PCT ZINC	16	12	Contains 93% Type I inorganic zinc in the dried paint film. Resists oxidation, & the galvanizing protection continues even if scratched.
SPS-16-45	16-45	RUST CONVERTER	16	12	Can be applied to any iron or steel surface to penetrate rust & turn it into a protective black coating. Resistant to moisture & prevents future rust growth.

Paints & Chemicals

COATINGS & LUBRICANTS					
Item	Seymour #	Item Description	SIZE	CASE QTY	
SPS-16-841	16-841	SHINY GALVANIZE	16	12	Smooth, zinc enhanced compound dries to a durable, crack resistant coating protects iron & steel surfaces. Excellent restoration of galvanized surfaces.
SPS-20-46	20-46	RUBBERIZED UNDERCOATING	20	12	Autobody undercoating for application to under carriage for rust protection & sound deadening. Seals out water, fumes, road chemicals & dust. Not effected by heat or cold. VOC Compliant.
SPS-20-47	20-47	GRAFFITI REMOVER	20	12	Highly effective, environmentally safe formula. Safely removes paint & varnish.
SPS-620-1505	620-1505	LUBRICANT, DRY MOLY, MIN BUY 6	20	12	Quick-drying, thin film that provides superior lubrication under extreme pressures & broad temp. ranges. Excellent adhesion, oil free, & protects against seizing, fretting, & galling.
SPS-620-1543	620-1543	PENETRATING OIL, MIN BUY 6	20	12	A lightweight penetrant that releases rusted, corroded or frozen assemblies. This fast-acting formulation includes penetrants, lubricants, & corrosion inhibitors & leaves an anti-rust film for continued protection. Sprays in any direction & an extension tube is provided.
SPS-620-1548	620-1548	BRAKE CLEANER	20	12	Safely removes dust & grease from brake parts & other metal objects. Eliminates brake squealing, contains no chlorinated solvents, & is VOC compliant. Includes Extension Tube
SPS-SEAL IT	20-149	CLEAR SEAL IT	20	12	Multi-purpose sealant that seals small cracks & does not lose flexibility. Resists water, protects against UV sunlight, & will not crack in cold temperatures.

- Popular Part Numbers for the Trailer Industry
- DOT Tested & Approved
- Quick Order Turnaround & Flexibility
- Available in Standard Packaging with Easily Identifiable Part Numbers & Descriptions
- Part Bags Feature Not Only Our Part Numbers, but Also Other Manufacturers for Ease of Identification



P/N	DESCRIPTION	PKG
TA50009	3/8" Tube Frame Fitting	1
TA55609	Bulkhead Fitting	5
TA55613	Bulkhead Fitting	5
TA55629	Bulkhead Fitting	5
TA55661	Bulkhead Fitting	5
TA55807	Bulkhead Fitting	5
TAS120-4-2	1/4"x1/8" Pipe Adapter	10
TAS120-6-4	3/8"x1/4" Pipe Adapter	10
TAS202-4	1/4" 90° Street Elbow, Extruded	10
TAS202-6	3/8" 90° Street Elbow, Extruded	10
TAS203-4	1/4" Pipe Tee, Extruded	10
TAS203-6	3/8" Pipe Tee, Extruded	10

P/N	DESCRIPTION	PKG
TAS207-4	1/4" Female Pipe Coupling	10
TAS207-6	3/8" Female Pipe Coupling	10
TAS211-4	1/4" Square Head Plug	10
TAS211-6	3/8" Square Head Plug	10
TAS215-4	1/4" Close Nipple, Yellow Brass	10
TAS215-6	3/8" Close Nipple, Yellow Brass	10
TAS215-8	1/2" Close Nipple, Yellow Brass	10
TAS224-6	3/8" 45° Street Elbow	10
TAS225-6	3/8" Pipe Street Tee	10
TAS360AB-6	3/8" Hose Sleeve	10
TAS360AB-8	1/2" Hose Sleeve	5
TAS362RB-6	3/8" Union	5
TAS362RB-8	1/2" Union	2
TAS368AB-6-4	3/8"x1/4" Male Connector	5
TAS368AB-6-6	3/8"x3/8" Male Connector	5
TAS368AB-6-8	3/8"x 1/2" Male Connector	5
TAS368AB-8-6	1/2"x3/8" Male Connector	5
TAS376AB-3/4-6	3/8"x3/8" Adapter End	10
TAS378AB-6-4	3/8"x1/4" Male Connector w/ Spring Guard	2
TAS378AB-6-6	3/8"x3/8" Male Connector w/ Spring Guard	2
TAS378AB-6-8	3/8"x1/2" Male Connector w/ Spring Guard	2
TAS378AB-8-6	1/2"x3/8" Male Connector w/ Spring Guard	2
TAS378AB-8-8	1/2"x1/2" Male Connector w/ Spring Guard	2
TAS60-6	3/8" Compression Sleeve	50
TAS63PT-4	1/4" Brass Insert, Drop-In	25
TAS63PT-6	3/8" Brass Insert, Drop-In	25
TAS63PT-8	1/2" Brass Insert, Drop-In	25
TAS760AB-4	1/4" Sleeve	100
TAS760AB-6	3/8" Sleeve	100
TAS760AB-8	1/2" Sleeve	100
TAS761AB-6	3/8" Nut	25
TAS762AB-10	5/8" Union	5
TAS762AB-4	1/4" Union	10
TAS762AB-6	3/8" Union	10
TAS762AB-8	1/2" Union	10
TAS762PMT-4	1/4" Straight Union, Composite PTC	5
TAS762PMT-6	3/8" Straight Union, Composite PTC	5
TAS762PMT-8	1/2" Straight Union, Composite PTC	5
TAS764AB-4	1/4" Union Tee	10
TAS764AB-6	3/8" Union Tee	10

P/N	DESCRIPTION	PKG
TAS764PMT-4	1/4" Union Tee, Composite PTC	5
TAS768AB-4-2	1/4"x1/8" Male Connector	10
TAS768AB-4-4	1/4"x1/4" Male Connector	10
TAS768AB-6-2	3/8"x1/8" Male Connector	10
TAS768AB-6-4	3/8"x1/4" Male Connector	10
TAS768AB-6-6	3/8"x3/8" Male Connector	10
TAS768AB-6-8	3/8"x1/2" Male Connector	10
TAS768AB-8-4	1/2"x1/4" Male Connector	10
TAS768AB-8-6	1/2"x3/8" Male Connector	10
TAS768PMT-4-2	1/4"x1/8" Male Connector, Composite PTC	5
TAS768PMT-6-4	3/8"x1/4" Male Connector, Composite PTC	5
TAS768PMT-6-6	3/8"x3/8" Male Connector, Composite PTC	5
TAS768PMT-8-6	1/2"x3/8" Male Connector, Composite PTC	5
TAS769AB-10-8	5/8"x1/2" Male Elbow	5
TAS769AB-4-2	1/4"x1/8" Male Elbow	10
TAS769AB-4-4	1/4"x1/4" Male Elbow	10
TAS769AB-6-4	3/8"x1/4" Male Elbow	10
TAS769AB-6-6	3/8"x3/8" Male Elbow	10
TAS769AB-8-4	1/2"x1/4" Male Elbow	10
TAS769AB-8-6	1/2"x3/8" Male Elbow	10
TAS769AB-8-8	1/2"x1/2" Male Elbow	5
TAS771AB-6-4	3/8"x1/4" Male Run Tee	10
TAS772AB-6-4	3/8"x1/4" Male Branch Tee	10
TAS772AB-8-6	1/2"x3/8" Male Branch Tee	5
TAS779AB-6-4	3/8"x1/4" 45° Elbow	10
TAS779AB-6-6	3/8"x 3/8" 45° Elbow	10
TASPHN-6	3/8" Hex Nipple	10
TASPHN-8	1/2" Hex Nipple	10
TASPPH-12	3/4" Hex Head Plug	10
TASPPH-4	1/4" Hex Head Plug	10
TASPPH-6	3/8" Hex Head Plug	10
TASPPH-8	1/2" Hex Head Plug	10
TASPRB-12-8	3/4"x1/2" Pipe Reducer Bushing	5
TASPRB-4-2	1/4"x1/8" Pipe Reducer Bushing	10
TASPRB-6-4	3/8"x1/4" Pipe Reducer Bushing	10
TASPRB-8-4	1/2"x1/4" Pipe Reducer Bushing	10
TASPRB-8-6	1/2"x3/8" Pipe Reducer Bushing	10
TASV500P-8	1/2 Female Ball Valve, Full Port	1
TASV601-4	1/4" Male Drain Cock	2

AT STOUGHTON, IT'S ABOUT MORE THAN JUST PARTS.

Stoughton Parts focuses its efforts on being a premier value-added supplier to the heavy duty aftermarket. We pride ourselves on our industry leading customer service, order fill rate and order fill accuracy.

YOU CAN EXPECT:

- ▶ Thousands of parts in stock every day
- ▶ Not only top quality Stoughton parts but competitive make/model parts
- ▶ Personalized service
- ▶ Experienced and knowledgeable technical support
- ▶ Online ordering, tracking and invoice access capabilities
- ▶ Weekly delivery routes to minimize freight costs along with daily parcel & LTL shipping

